STATE ENGINEER, SALEM, OREGON STILL 2 9 1971 within 30 days from the deteA TE ENGINES [] 3 () 1 Atate Permit No. SALEM ORES (10) LOCATION OF WELL. (1) OWNER: Driller's well number County Clackamas Name Fred Edmunds <u>t.</u> 28 R. Wilsonville, Or. 97070 SW 14 SW 14 Section 7 Address P. O. Box 68. Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Reconditioning 🔲 Abandon [] Deepening 🔲 ... New Well Y If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): Depth at which water was first found (3) TYPE OF WELL: ft. below land surface. Date 9/25/71 Driven 🛚 Static level Rotary \Box Domestic 💢 Industrial 🗌 Municipal 🗍 Jetted | Bored | Cable Irrigation Test Well Other Artesian pressure Ibs. per square inch. Date Dug CASING INSTALLED: Threaded | Welded | (12) WELL LOG: Diameter of well below casing . 54 # Gage 0.277 201 .Q. ft. to ... 201 ft. Depth of completed well 8 " Diam. from Depth drilled ft. to fi. Gage " Diam. from ... Formation: Describe color, texture, grain size and structure of materials; . ft. Gage and show thickness and nature of each stratum and aquifer penetrated, ft. to ... _" Diam. from _ with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? [] Yes | No. MATERIAL e of perforator used n 16 Clay, yellow, sticky Size of perforations in. by Clay, yellow, granular et. to ... perforations from 15 35 Rock, brown, soft perforations from 82 Rock, grey, med, hard _ perforations from ____ ft. to . 82 97 Rock, red, med, soft 97 103 (7) SCREENS: Well screen installed? 🗋 Yes 💢 No Rock, brown, med, hard 201 89 103 Rock, grey, med, hard Manufacturer's Name . Set from Slot size . Set from _ Slot size __ Diam. .. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? Tyes I No If yes, by whom Steinman Bro 65 ft. drawdown after hrg. 235 gal./min. with Yield: 24 6 175 חוד 100 rt_drawdown after hrs. gal./min. with Bailer test Artesian flow g.p.m. 197] Temperature of water 530 Depth artesian flow encountered. Work started Sept. 10 19 71 Completed Sept. ft. Sept. 25 Date well drilling machine moved off of well CONSTRUCTION: Drilling Machine Operator's Certification: Well seal-Material used Bentonite & puddled clay This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to ... best knowledge and belief. Diameter of well bore to bottom of seal [Signed] Koher E. Mc Createl Sept. 271071 Diameter of well bore below seal (Drilling Machine Operator) Number of sacks of cement used in well seal Drilling Machine Operator's License No. Number of sacks of bentonite used in well seal Brand name of bentonite National Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? 🗆 Yes 🐧 No 💆 ugs Size: location _... Name Steinman Bros. Did any strata contain unusable water 🔲 Yes 🔟 No (Type or print) Address 14912 S.E. Kellogg Ave. Milwaukie, Or. depth of strata Type of water? [Signed] Kobe tethod of sealing strata off Size of gravel: y risk tak well in anime well gravel packed? | Yes YNo Sept. 19...71 Contractor's License No. ft.

(USE ADDITIONAL SHEETS IF NECESSARY)

ètate Well No.

BP*45656-119

DA

MOTICE TO WATER WELL CONTRACTOR

filed with the

vel placed from ...

The original and first cape ECE WELL REPORT of this report are to the ECE WELL REPORT

STATE OF OREGON

TO WATER WELL. CONTRACTOR CE CE WELL REPORT FOR STATE CONTRACTOR CE CE VE The original and first copy of this report are to be filled with the

ATE ENGINEER, SALEM, OREGON 97310 G1 6 1974 STATE OF OREGON MAY 2 6 1972

Within 20 days from the date. STATE ENGINEER not write above this listate ENGINEER No.

SALEM, OREGON SALEM, OREGON

(1) OWNER:	(10) LOCATION OF WELL:	VELL #	
Name red Edmunds	County ACKAMA Spriller's well nu	mber 7-	71
Address . G. Box 68, Wilsonville, Or. 97070	NE 14 50014 Section T. 35	R. 18	- w.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision	on corner	
New Well (1) Deepening Reconditioning Abandon			
If abandonment, describe material and procedure in Item 12.	(11) THAPPED YEARDY CO. 1.4.1	•••	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed we	ell. 150	
	Depart of which was true found		
Cable	Static level ft. below land surface. Date		
	Artesian pressure lbs. per square	e inch. Date	: *
(5) CASING INSTALLED: Threaded Welded W	(12) WELL LOG: Diameter of well b	elow casing	
" Diam from Oft. to ft. Gage 0.277	Depth drilled ft. Depth of completed well		
"Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size a		of materia
"Diam. fromft. toft. Gage	and show thickness and nature of each stratum	n and aquifer	penetrat
(6) PERFORATIONS: Perforated? Yes, P. No.	with at least one entry for each change of format position of Static Water Level and indicate princ	cipal water-be	cn cna nge aring stra
Type of perforator used	MATERIAL	From To	SWL
Size of perforations in hy	Clay, wellow, saidby	1	
perforations from tt. to tt.	Clay, volley, remail.		š
perforations from ft. to ft.	Rock, brown, soft		3
perforations from ft. to ft.	Book, arev, est. car:	. ਹਨ ਹੋ	2
人员 会然 的现在分词,不是我们在女子。	Stock, red, set. 5: t	A2 2	7
(7) SCREENS: Well screen installed? Yes No.	Mac's, brown, tead, harm in	10	
Manufacturer's Name Type Model No.	Rock, or y, so her	3 30	
Diam Slot size Set from ft. to ft.			
Diam Slot size Set from ft. to ft.		- *	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? "Yes No If yes, by whom? Steinman Bro	ν β .		5
Yield: 23 gal./min. with 6 ft. drawdown after hrs.	NOV 2 1994		
"	NATER KLASSIS		
Bailer test gal./min. with ft. drawdown after hrs.	SNETA		
Artesian flow g.p.m.			-
Temperature of water 53° Depth artesian flow encountered ft.	Work started Started 19 Completed	d Y . 2	1 19
(9) CONSTRUCTION:	Date well drilling machine moved off of well	. ?	
dent on its middle of me			
Well seal—Material used	Drilling Machine Operator's Certification: This well was constructed under my	direct sun	ervisio
Well sealed from land surface to	Materials used and information reported a best knowledge and belief.	above are tr	rue to n
Diameter of well bore to bottom of sealin, Diameter of well bore below sealin.	[Signed]		į.
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)	Jate	, 19
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No	24 <u>6</u>	***********
Brand name of bentonite National		·	
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:		
of waterlbs./100 gals.	This well was drilled under my jurisdic true to the best of my knowledge and belie	ef.	
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	Name (Person, firm or corporation)	4	v.
Did any strata contain unusable water? Yes No	(Person, firm or corporation)	(Type or	print)
Type of water; depth of strata	Address 11917	는 전 g '	Begina Benedera
Method of sealing strata off	[Signed]	,	
Was well gravel packed? Yes No Size of gravel:	(Water Well Contrac	ctor)	,==++++
Gravel placed from ft. to ft.	Contractor's License No. Date		10