NOTICE TO WATER WELL CONTRACTOR The original and first copy

DUALATIN (2) TYPE OF WORK (check):

Driven 🛚

Jetted 🔲

Bored [

of CASING INSTALLED:

" Diam. from ..... PERFORATIONS:

.... perforations from ....

\_\_ perforations from ... perforations from ..

Diam. Slot size Set from Diam. Slot size Set from

Was a pump test made? The If yes, by whom? gal./min. with

gal./min. with 3/0 ft.

Was a drive shoe used? Wes I No Plugs ...... Size: location ......

Did any strata contain unusable water? 

Yes 

No

Was well gravel packed? 

Yes No Size of gravel:

(3) TYPE OF WELL:

П

Type of perforator used Size of perforations

(7) SCREENS: Manufacturer's Name .....

(8) WELL TESTS:

inperature of water

Type of water?

Method of sealing strata off

Gravel placed from .....

(9) CONSTRUCTION: Well seal-Material used Well sealed from land surface to .. Diameter of well bore to bottom of seal Diameter of well bore below seal ....

Number of sacks of cement used in well seal . Number of sacks of bentonite used in well seal Brand name of bentonite NATIONAL Number of pounds of bentonite per 100 gallons 200

Bailer test Artesian flow

Rotary

Cable

Dug

New Well Deepening Reconditioning If abandonment, describe material and procedure in Item 12.

of this report are to be filed with the

> \_ ft. to \_\_\_ ft. to .

WATER WELL REP OF OREGON NOVE 1 1973

State Well No. .

RState Permit No.

STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.	v 97310 <b>Q 1 9</b> Pjegse typ	e or print) STATE ENGINEERstate hove this light ALEM, OREGON
(1) OWNER:  Name EITH SEVER	SON	(10) LOCATION OF WELL:  County (LACKAMAS Drille:  SW 34.5W 34 Section 2.5

Threaded | Welded | O ft to 396 ft Gage . 250

Well screen installed? | Yes | No

Depth artesian flow encountered .

VERSON	County (LACKAMAS Driller's well nu	mber	210	TOWN TANK	
7 367	SW 14 SW 14 Section 28 T. 25	R. 11		W.M.	
OREGON	Bearing and distance from section or subdivision		*		
check):					
Reconditioning					
al and procedure in Item 12.	(11) WATER LEVEL: Completed well.				
	1.71.6				
(4) PROPOSED USE (check):	Depth at which water was first found				
Domestic 🛮 Industrial 🗎 Municipal 🗎	Static level 75 ft. below land surface. Date 1111 11 13				
Irrigation   Test Well   Other	Artesian pressure lbs. per square inch. Date				
ED: Threaded □ Welded ☑	(12) WELL LOG: Diameter of well below casing 6"				
ED: Threaded   Welded   250"   tt to 396 ft. Gage . 250"	<b>  -  </b>				
	Depth drifted JOZ 11. 30pt.				
fttoftGage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,				
The to	and show interness and matter with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.				
Perforated?   Yes   No.	position of Static Water Level and indicate prin	T I			
·	MATERIAL	From	То	swL	
in, by in.	TOP SOIL	0	-		
mft. toft.	BROWN CLAY	11	3/		
mft. toft.	BROWN SANDY (LAY	31	82		
mft. toft.	BROWN DAWD	182	1/2	·	
111	BROWN CLAY	1/2	152	·	
l screen installed? 🗌 Yes 🔛 No	BLUE CLAY	1.52	3/2		
Andrew Control of the	CLAY AND GRAVEL	12/2	326	<del></del>	
Model No.	BUE (LAY	7700	207	<del></del> :	
Set fromft. toft.	CLAY AND GRAVEL	227	363		
Set from ft. to ft.	BROWN CLAY	1707	201		
Drawdown is amount water level is	DECOMPOSED BASALT	200	110	<del></del>	
lowered below static level	SOFT BROWN BASALT	100	502	75	
s [FNo If yes, by whom?	HAKO CIKAY DAJALI	770	11.77	/	
with Hofft. drawdown after hrs.	The state of the s	1 .		-	
" "	CASING CEMENTED	MTC	P	ASALT	
The control of the control of the second of	AT 396' WITH 5		CKS	OF	
n. with 3/0 ft. drawdown after 2 hrs.	CEMENT.				
<del>です。大「TOT TOT TOTAL AT LEET TOTAL </del>					
g.p.m.  oth artesian flow encountered ft.	Work started /0 //9 19 73 Comple	ted //	1/16	1973	
pth artesian now encountered	Date well drilling machine moved off of well	11	117	19 73	
			<del>                                     </del>		
DENTONITE	Drilling Machine Operator's Certification	l: v direc	t sune:	rvision.	
to 25 ft.	Materials used and information reported	This well was constructed under my direct supervision.  Materials used and information reported above are frue to my			
om of sealin.	best knowledge and belief.				
seal 6 in.	[Signed] (Drilling Machine Operator)	Date	11/2	. لا المالية المالية	
sed in well sealsacks			<u>329</u>	***********	
used in well seal sacks	Dinning Machine Operator				
IATIONAL	Water Well Contractor's Certification:			•	
te per 100 gallons	This well was drilled under my juris	diction a	ınd this	report is	
1bs./100 gals.	true to the best of my knowledge and b	elief.	Con		
s 🗆 No Plugs Size: location ft.	Name (Person, firm or corporation) (Type or print)				
ble water? □ Yes ☑ No	Address 5365 S.E. HILLWOOD MILWAUKIE				
depth of strata	Address				
	[Signed]		· <i>f</i>		
Yes No Size of gravel:	(Water Well Con	11	120	7	
ft. toft.	Contractor's License No. Date	<u></u> -lf	س		
		,			