File Original and First Copy with the STATE ENGINEER, SALEM, OREGON STATE OF OREGON

 $\frac{0.031}{0.031}$ State Well No. z - 28D(0)

DIAMBIN, CINEGOIN		State Permit No	***************	
(1) OWNER:	en e	(11) WELL TESTS: Drawdown is amount lowered below static l	water leve	el is
Name A.F. Pearson		Was a pump test made? Mr Yes □ No If yes, by who	m? Gree	hem One
Address 8951 S.E. Fuller Road		Yield: 82 gal./min. with 17 ft. drawdo		hrs.
Portland 66, Oregon		<u>" 133</u> 88 " 55 "		2 "
(2) LOCATION OF WELL:				3 "
County MClackamas Owner's number, if any—		Bailer test 24 gal./min. with 117 ft. drawdow	wn after	4 hrs.
NW 14 NW Section 28 T. 1S R. 2E W.M.		Artesian flow g.p.m. Date		
Bearing and distance from section or subdivis		Temperature of water 53 Was a chemical analysis n	nade?	es X No
Tax lots 2 and 17	ston corner			
18X 1000 2 800 17		(12) WELL LOG: Diameter of well 8		inches.
	1	Depth drilled 2511 ft. Depth of completed		74ft.
	· · · · · · · · · · · · · · · · · · ·	Formation: Describe by color, character, size of mater show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each	ial and stri the mater	ucture, and ial in each
		stratum penetrated, with at least one entry for each	change of	formation.
		MATERIAL	FROM	TO
(3) TYPE OF WORK (check): New Well Deepening Reconditioning Abandon If abandonment, describe material and procedure in Item 11. PROPOSED USE (check): (5) TYPE OF WELL:		Cement gravel and boulders	0	22
		Loose gravel	22	24
		Cement gravel	24	30
		Loosley cemented gravel and boulde	rs30	46
	``_`	Brown silty clay	46	119
Domestic 🕱 Industrial 🐧 Municipal 🗌	Rotary Driven Cable	Grey sandy clay	119	58
Irrigation ☐ Test Well ☐ Other ☐	Dug 🛮 Bored 🗒	Brown and red hardpan	58	81
(C) CACING INGHAILED		Hard grey rock	81	811
(6) CASING INSTALLED: Threaded \(\text{Tweeded } \text{Welded } \text{Z} \) 8 "Diam from 0 ft to 81!-1" ft Gage Std.		Decomposed brown and grey rock	84	153
		Black rock	153	154
6 "Diam. from 62 ft. to 205 ft. Gage . 280		Hard grey rock	154	160
		Red decomposed rock	160	185
		Pinkish grey rock	185	195
		Brown and yellow decomposed rock	195	205
SIZE of perforations in. by	1 1 in.	Black rock	205	223
60 perforations from 178		Brown decomposed rock	223	2),2
perforations fromft. toft.		Soft purple rock (water)	21,2	251
perforations fromft. toft.				
perforations from				
perforations from	Ÿ			
	Lucian Lu			
(8) SCREENS: Well screen	installed 🗌 Yes 🏋 No			
Manufacturer's Name				-
Туре	Model No.			
Diam Slot size Set from	ft. to ft.			
A Slot size Set from	ft. to ft.	Work started 7/21/59 19 . Completed	8/2)1/	FQ 19
(A) CONCERNATION			<u> </u>	27 ==
(9) CONSTRUCTION:	85	(13) PUMP:		
Was well gravel packed? ☐ Yes X No Size of gravel:		Manufacturer's Name		*************
Gravel placed fromft. toft.		Type: H.P.		
Was a surface seal provided? Yes No To what depth?				
Material used in seal—		Well Driller's Statement:		
Did any strata contain unusable water? Yes No		This well was drilled under my jurisdiction	and this	report is
Type of water? Contaminated Depth of		true to the best of my knowledge and belief.		
Method of sealing strata off Cased on	ut with 8" pipe	NAME Steinman Bros (Person, firm, or corporation) (T		
(10) WATER LEVELS:				
Static level 78 ft. below land surface Date 8/214/59		Address 15112 S.E. McLoughlin, Milwaukie 22, Ore.		
Artesian pressure lbs. per square inch Date				
and, per squ		Driller's well number 31–59		**********
Log Accepted by:		[Signed] Allmman []	٠ دوروس	
(Stoned A BADAMANA	left 9 , 1959	(Well Driller)	i3436	
(Owner)		License No Date .9/8/5	9	, 19
· · · · · · · · · · · · · · · · · · ·		- / - / - /		