Duplicate with the	LERS BEPORT Do Not State Well No. 1/2-297 ())
STATE ENGINEER, APR 4 1957 STATE OF O	REGODCLAC' State Permit No. 6449
(1) OWNER: STATE ENGINEER Name PORTLAND SAREM OFEODY WAY	(10) WELL TESTS: 50
Address 7295 S.E. KING RD.	Was a pump test made? Types I No If yes, by whom?
PORTLAND 22, OREGON	Yield: gal./min. with ft. draw down after hrs. """"""""""""""""""""""""""""""""""""
(2) LOCATION OF WELL: App G 542	17 17 17 17 17
County CLACK Owner's number, if any-	Artesian flow
R. F. D. or Street No. 7295 S.E. KING RD	Shut-in pressure Ibs. per square inch. Bailer test g.p.m. with ft. drawdown
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made? 🗌 Yes 🗌 No
FROM THE SA CORNER SECT 2	Was electric log made of well? Ves No
TISR25	(11) WELL LOG:
(3) TYPE OF WORK (check):	Diameter of well, inches.
New well Deepening Reconditioning Abandon	Total depth ft. Depth of completed well ft.
indonment, describe material and procedure in Item 11.	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one putry for each change of formation.
(4) PROPOSED USE (check): (5) EQUIPMENT:	ft. to 25 ft. Maach
Domestic 🗌 Industrial 🗖 Municipal 🔲 Rotary	35" 5"5 " (dlash,)
Irrigation Test Well Other Cable Dug Well	55 80 " Cempted gravel
	80 " 90 " Gravel (with)
Threaded Welded	90 120 (grave)
Gage or Diameter from to	120 123 (lelan
FROM ft. to ft. Diam. Wall of Bore ft. ft. ft.	115" 190 " Brown clare
11 11 11 11 11 11 11 11 11 11 11 11 11	190" 205 " Plus
37 33 23 23 29 39 39 39 39 39 39 39 39 39 39 39 39 39	205 225 " exclored in a
17 17 17 17 17 17 17 17 17 17 17 17 17 1	225 235" Dand & graver (Water)
17 27 13 27 33 77 37 37 37 37 37 37 37 37 37 37 37	n n
Type and size of shoe or well ring Size of gravel:	n n
(7) PERFORATIONS:	· · · · · · · · · · · · · · · · · · ·
Type of perforator used Mille	2) 22 21
SIZE of perforationsin., length, byin.FROM \$\mathcal{N}\$ ft. to \$\mathcal{A}\$ ft. perf per footNo. of rows	
FROM Soft to GD ft. perf per foot No. of rows	17 13 17 19 19 19 19 19 19 19 19 19 19 19 19 19
······································	2006) · · · · · · · · · · · · · · · · · · ·
27 28 29 29 29 29 29 29 29 29 29 29 29 29 29	17 17 17 17 17 17 17 17 17 17 17 17 17 1
SCREENS:	1 1) 11 1)
Give Manufacturer's Name, Model No. and Size))])
	n n
(5) CONSTRUCTION: Was a surface sanitary seal provided? \square Yes \square No To what depth ft.	
Was a surface sanitary seal provided? \Box Yes \Box No To what depth ft. Were any strata sealed against pollution? \Box Yes \Box No	And
If yes, note depth of strata	Work state 2 de la constant de la constant sea rever.
FROM ft. to ft.	Work started fam, 2 19 39 Completed fam, 30 19 57 Well Driller's Statement:
	This well was drilled under my jurisdiction and this mouth
METHOD OF SEALING Self Ocasing the Marse	true to the best of my knowledge and belief.
(9) WATER LEVELS:	NAME Camplet Aprilling CO
Depth at which water was first found 25 ft.	(Person, firm, or corporation) (Typed or printed)
Standing level before perforating ft.	Address 6116 DE 56 and Partland
Standing level after perforating ft.	Driller's well number / You 1957
Log Accepted by BATLAND ROAD + DRIVEWAY	[Signed] C. E. Hamblet
[Signed] [3]. Currence Dated JAN 31, 1957	(Well Driller)
Owner Man	License No Dated 30, 19.57
······	V
—	