WATER WELL REPORT NOTICE TO WATER WELL CONTRACTOR The original and first copy APR 1 1 1974state Well No. 25 2E-6 of this report are to be STATE ENGINEER, SALEM, OREGON 973N 4269
within 30 days from 41 filed with the STATE OF OREGON (Please type or print) STATE ENGINEER Permit No. (Do not write above this line) SALEM. OREGON of well completion. (10) LOCATION OF WELL: (1) OWNER: Driller's well number\_ Clackamas Name Jack Siri Address 15583 S. Forsythe Rd., Oregon City, Or. т. 2S R. 2E 14 NE 14 Section 22 Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Reconditioning [ Deepening 🗓 New Well If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found 105 ft. below land surface. Date Driven 🛘 Rotary Domestic | Industrial | Municipal | Static level Cable Jetted Irrigation XX Test Well 

Other lbs. per square inch. Date Artesian pressure Dug Bored (a) CASING INSTALLED: Threaded | Welded | (12) WELL LOG: Diameter of well below casing ... " Diam, from \_\_\_\_\_ft, to\_\_\_\_\_ft. Gage \_\_\_\_ 230 230 ft. Depth of completed well Depth drilled " Diam, from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_ Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in " Diam, from \_\_\_\_\_ft. to \_\_\_\_\_ft. Gage .... position of Static Water Level and indicate principal water-bearing strata. ) PERFORATIONS: Perforated? | Yes | No. MATERIAL From Type of perforator used Rock, grey with brown seams 195 215 Size of perforations in. by 215 221 105 Gravel, cemented perforations from ..... Clay, grey perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. perforations from ..... For log of original 195 ft. of drilling (7) SCREENS: Well screen installed? Yes No refer to Steinman Bros. well report #32-70 Manufacturer's Name ..... dated July 21, 1970. Model No. Diam. Slot size \_\_\_\_ Set from \_\_\_\_ ft, to \_\_\_\_ Diam. Slot size Set from ft. to Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? 

Yes No If yes, by whom? gal./min. with ft. drawdown after hrs. Yield: gal./min. with 110 ft. drawdown after Bailer test March 21 Temperature of water 52 Depth artesian flow encountered \_\_\_\_\_\_ft. Work started March 18 19 74 Completed March 22 Date well drilling machine moved off of well (9) CONSTRUCTION: Drilling Machine Operator's Certification: Well seal-Material used .... This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to ... best knowledge and belief Diameter of well bore to bottom of seal ..... [Signed Malet E. Mc Council Bate Mar. 25, 19 74 Diameter of well bore below seal (Drilling Machine Operator) Number of sacks of cement used in well seal .. Drilling Machine Operator's License No. \_\_\_\_68 Number of sacks of bentonite used in well seal \_\_\_\_\_\_ sacks Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? 

Yes 

No Plugs ...... Size: location ...... ft. Name Steinman Bros. (Person, firm or corporation) (Type or print) Did any strata contain unusable water? 

Yes 

No Address 1,912 S.E. Kellogg Ave., Milwaukie, Or. 97222

Contractor's License No. ....

Type of water?

Method of sealing strata off

Was well gravel packed? 
Yes No Size of gravel:

Gravel placed from \_\_\_\_\_ft. to \_\_\_\_\_

I Date March 25 19 71