## The original and first cop of this report are to be JUL 2 2 1970 STATE OF OREGON (Please type or print)

CLAC State

filed with the

TATE ENGINEER, SALEM, OSTON TRAIN

within 30 days from the date
of well completion.

OREGON

(Please type or print)

(Please type or print)

OREGON

(Please type or print)

(Please type or print)

(Please type or print)

6-6463

OWNED.	(11) LOCATION OF WELL:	<b></b>	
1) OWNER:	County Chack Driller's well number	39-70	
dress RI & Bax 710M Orc. City, Ore	77 W14 NE 1/4 Section 22 T. 25 R.	R28 W.M.	
ddress VY 1 15 150 X 1/0 /VI DVC. C/14)	Bearing and distance from section or subdivision corner		
2) TYPE OF WORK (check):			
ew Well Deepening Reconditioning Abandon			
abandonment, describe material and procedure in Item 12.		-	
3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below c	asing	
lotary	Depth drilled / G 5 ft. Depth of completed w		
dable Jetted   Irrigation Test Well   Other	Formation: Describe color, texture, grain size and str		
	41 islamen and noture of each stratum and	additer beneather	
CASING INSTALLED: Threaded   Welded	with at least one entry for each change of formation. in position of Static Water Level as drilling proceeds.	Menore cacir cirange	
8 " Diam. from ft. to ft. Gage 550		_ 1 ~~~~	
6 " Diam, from ft. to ft. Gage 550	WATERIAD	99 8	
" Diam. fromft. Gage	Chay Brown ayellow D	24 0	
PERFORATIONS: Perforated?   Yes No.	Rock Broken 29	33	
Type of perforator used	<u> </u>		
Size of perforations in. by in.	Rock grey & hord 33	<u>58</u>	
perforations fromft. toft.	7 8		
perforations fromtt. tott.	Rock grey SOFTER 58	- 67	
perforations from ft. to ft,	0		
perforations from ft. to ft.	Rock grey hard 67	144	
perforations fromft, toft.	10.4	4 44 6	
(7) SCREENS: Well screen installed?   Yes No	Red decomposed Rock 140	1 168	
Manufacturer's Name	Rock grey & Broken 16	× 195 909	
TypeModel No.	Rock grey & Broken 16	3 1 1 3 1 4 1	
Diam. Slot size Set from ft. to ft.			
Diam. Slot size Set from ft, to ft.			
(8) WATER LEVEL: Completed well.			
static level 99 ft. below land surface Date 6/27/76			
A sian pressure lbs. per square inch Date			
(9) WELL TESTS: Drawdown is amount water level is lowered below static level		<del>-  </del>	
Was a pump test made? ☐ Yes of No If yes, by whom?		197 1970	
the st drawdown after hrs.	Work started 5 /28 1970 Completed		
d: gai./min. with it. diawdown acter	Date well drilling machine moved off of well	7/3/ 1970	
n " " " " " " " " " " " " " " " " " " "	Drilling Machine Operator's Certification:		
1/ a / Det drawdown after 9 hrs	This well was constructed under my direct supervision. Materials used and information reported above are true to my best		
Baller test gal./mm. with	knowledge and belief.		
Artesian flow g.p.m. Date	[Signed] Jack Dull Date 7/2/, 19.76		
Temperature of water 552 Was a chemical analysis made?   Yes A No.	(Drilling Machine Operator)		
(10) CONSTRUCTION:	Drilling Machine Operator's License No		
Well seal-Material used e cment grout	Water Well Contractor's Certification:		
Depth of seal	This well was drilled under my jurisdiction and this report is		
Diameter of well bore to bottom of seal	true to the best of my knowledge and belief.		
Were any loose strata cemented off? Yes No Depth	NAME STEIM MAD BYOS		
Was a drive shoe used? X Yes ☐ No	(Person, firm or corporation) (Type or print)		
Did any strata contain unusable water? Yes No	Address MII Wau PIE		
Type of water? Sur Foce depth of strata	(1/10 78 mol 000		
Method of sealing strata off Cas 1779 4 6 6 Ment	[Signed] (Water Well Contractor)		
Was well gravel packed? ☐ Yes No Size of gravel:	Contractor's License No Date	19/21 19/20	
Gravel placed from ft. to ft.		,,	
(USE ADDITIONAL SHEETS IF NECESSARY)			