RECEIVED PREWING 12-17-8 NOTICE TO WATER WELL CONTRACTOR WATER WELL REPORT SEP 1 3 1973 tate Well No. 25 56 The original and first copy of this report are to be STATE OF OREGON filed with the STATE ENGINEER Permit No. (Please type or print) STATE ENGINEER, SALEM, OREGON 97310 (Do not write above this line) SALEM, OREGON 04396 within 30 days from the date of well completion. (10) LOCATION OF WELL: Driller's well number (1) OWNER: WATER SEW NW 1/4 Section Name S. HENRICI Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Abandon 🛘 Reconditioning [(11) WATER LEVEL: Completed well. Deepening [New Well If abandonment, describe material and procedure in Item 12. Depth at which water was first found (4) PROPOSED USE (check): (3) TYPE OF WELL: Date ft. below land surface. Domestic | Industrial | Municipal lbs. per square inch. Date Driven 🗆 Rotary Irrigation | Test Well | Other Artesian pressure Jetted [Cable Bored | Dug Diameter of well below casing (12) WELL LOG: Threaded | Welded CASING INSTALLED: ft. Depth of completed well 16 " Diam. from + 2 ft. to 302 ft. Gage 375 Depth drilled Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, _ft, to _____ft. Gage " Diam. from with at least one entry for each change of formation. Report each change in ft. Gage position of Static Water Level and indicate principal water-bearing strata. Perforated? | Yes | No. PERFORATIONS: From in. by Type of perforator used BROWN (LAY 76 PACKED BROWN SAND Size of perforations BLUE AND GREY CLAY 76 perforations from .. RED AND BROWN CLAYSTON 192 perforations from 301 DECOMPOSED ROCK ft. to perforations from ... 3/5 301 BASALT Well screen installed?

Yes No 315 324 (7) SCREENS: DROUS GREY BASAUT MED. HARD BLACK BASALT 325 333 Manufacturer's Name ... Model No. 3 6/2 BROKEN GREY ARD BLACK BASALT 371 Set from MED HARD BLACK BASAS 37/ Set from ... Slot size Diam. MED SOFT BLACK BASALT 38 Drawdown is amount water level is lowered below static level (8) WELL TESTS: MED HARD BLACK BASAS 20 40: Was a pump test made? Yes \(\subseteq No \) If yes, by whom? STRASSER HARD BLACK BASACT ad: 3/50 gal./min. with 160 ft. drawdown after MED HARD BLACKBASA ET BASALT THE PARTY OF THE P POROUS BLACK BASACT HARD BLACK BASALT ft. drawdown after Bailer test A SECTION OF THE PARTY OF THE P serature of water 5 Bepth artesian flow encountered Work started APR 13 1973 Completed Artesian flow Date well drilling machine moved off of well Drilling Machine Operator's Certification: (9) CONSTRUCTION: This well was constructed under my direct supervision. Materials used and information reported above are true to my Well seal—Material used Well sealed from land surface to best knowledge and belief. // (prilling Machine Operator) Date 9/10, 1973 Diameter of well bore to bottom of seal [Signed] Diameter of well bore below seal Drilling Machine Operator's License No. Number of sacks of cement used in well seal Number of sacks of bentonite used in well seal ... Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is Brand name of bentonite Number of pounds of bentonite per 100 gallons true to the best of my knowledge and belief. __ lbs./100 gals. 1 STRASSER Size: location Was a drive shoe used? Yes \(\sum \text{No.} \text{Plugs} \)... Did any strata contain unusable water?

Yes No Address 81105E depth of strata Method of sealing strata off Contractor's License No. 10 Date SEPT 10 Was well gravel packed?
Yes No Size of gravel: ft. to ... Gravel placed from