ORIGINAL File Original, and Duplicate with the	The state of the s
Duplicate with the STATE ENGINEER STATE OF O	REGON A88 6763 Fill In State Permit No.
(1) OWNER; W. Axlett	(10) WELL TESTS: (LAC Was a pump test made? Yes Two If yes, by whop?
Address Rt. Box 276-B	Yield: 20 gal./min. with 5 ft. draw down after hrs.
Clackamas Oregon	" bil " to the down and " "
(2) LOCATION OF WELL:	" Dele " les led " "
County 6/10/11/12/5 Owner's number, if any	Artesian flow
R. F. D. or Street No.	Shut-in pressurelbs. per square inch. Bailer test 70 g.p.m. with 5 ft. drawdown
Bearing and distance from section or subdivision corner	Temperature of water 52° Was a chemical analysis made? Yes No
DEC1/04 6 -1 2 5, M, 3 E. of W)	Was electric log made of well? Yes
553' N & 347' E Sim So. 14 Corner	(11) WELL LOG:
TYPE OF WORK (check):	Diameter of well, inches.
New well Deepening Reconditioning Abandon	Total depth / 0.5 ft. Depth of completed well / 65 ft.
abandonment, describe material and procedure in Item 11.	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum menetrated with at least one of the material in each
(4) PROPOSED USE (check): (5) EQUIPMENT:	stratum penetrated, with at least one entry for each change of formation. Off. to > 8 ft.
mestic Industrial Municipal Rotary Cable	28" 90 " Have grav rock
Irrigation ☐ Test Well ☐ Other ☐ Dug Well ☐	90",05" red houley down rock
CASING INSTALLED: If gravel packed	" water bearing,
Threaded Welded 50	n n
FROM Cft. to /05 ft. Diam. Wall of Bore ft. ft.	, n
" " " Wall of Bore ft. ft " " " " " " " " " " " " " " " " "	31 11 Market
n n n n n	n n
" " " " " " " " " " " " " " " " " " "	n n
" " " " " " " " " " " " " " " " " " "	" "
Type and size of shoe or well ring Size of gravel:	n n
Describe joint	n n
(7) PERFORATIONS:	11 12 Alice
Type of perforator used touch eat	n n
E of perforations in., length, by in.	и
OM 96tt. to 105 ft. 3 perf per foot 3 No. of rows	"
n n n n n n	n n
n n n n n n n n	n p
n n n n n n n	n n
SCREENS: Give Manufacturer's Name, Model No. and Size	n n
GIVE Manufacturer's Name, Moder No. and Size	n n
(8) CONSTRUCTION: Comented at 85'	"
Was a surface sanitary seal provided? Yes No To what depth ft.	"
Were any strata sealed against pollution? ☐ Yes ☐ No If yes, note depth of strata	Ground elevation at well site feet above mean sea level.
FROM ft. to ft.	Work started July 9 1956 Completed July 16 1956
Well backtilled from 85 to top.	Well Driller's Statement:
METHOD OF SEALING Cement	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
(9) WATER LEVELS:	NAME Q. D. JARY
Depth at which water was first found 90 ft.	(Person, firm, or corporation) (Typed or printed)
Standing level before perforating ft.	Address AT / Box 565
Standing level after perforating & \$ ft.	Driller's well number
Log Accepted by:	[Signed] Q.O. Olse
[Signed] functional light stated July 3/, 19.55	License No. 131 Dated (1)/(3 4 105)
	Dated VOLV 5 6, 1956