## WATER WELL REPORT STATE OF OREGON

RECEIVED

MAY 10 1983

0479

WATER RESOURCES DEPT OF PRINT IN INK
SALEM, OREGON

State Well No.	ds	<u>   3と                                  </u>	14cc
8 /,		1	

(1) OWNER:	(10) LOCATION OF WELL:		
Name Salvation Army	County Clackamas Driller's well number		
Address 24300 S. E. Hoffmeister Rd.	NE 14 SW 14 Section 14 T. 2 S R. 3 E W.M		
City Boring, Oregon 97009 State	Tax Lot # Lot Blk Subdivision		
(2) TYPE OF WORK (check):	Address at well location:		
New Well □ Deepening □ Reconditioning XX Abandon □			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
	Depth at which water was first found ft		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level X ft. below land surface. Date		
Rotary Air XX Driven	Artesian pressure X lbs. per square inch. Date		
Retary Mud Dug			
(5) CASING INSTALLED: Steel   Plastic XX	Double deilled		
(5) CASING INSTALLED: Steel □ Plastic XX Threaded □ Welded XX	Formation: Describe color, texture, grain size and structure of materials; and show		
6. "Diam from + 1. ft. to 300 ft. Gauge SDR 26	thickness and nature of each stratum and aquifer penetrated with at least one ontro		
" Diam. from	for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.		
LINER INSTALLED:	. Vienning		
	MATERIAL From To SWL		
	Clean out well - mechanically		
(6) PERFORATIONS: Perforated? ☐ Yes ☐ No	remove scale, and set plastic		
Type of perforations X in hy	liner Opininglandlandin 10/2		
The by Inc.	Original well drilled in 1943		
X perforations from			
X perforations from ft. to ft.			
(7) SCREENS: Well screen installed?   Yes   No			
Manufacturer's Name X			
Type Model No.			
Diam. Slot Size Strom ft. to ft.			
Diam. SloYSize Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
below static level			
s a pump test made? ☐ Yes ☐ No If yes, by whom?			
Meld: X gal./min. with ft. drawdown after hrs.			
X " " " " " " Air test X gal/min with drill stomet ft base			
y Summan with air stem at tt, mrs.			
gai./min. with it. drawdown after hrs.			
g.p.m.			
Emperature of water A Depth artesian flow encountered ft.	Work started 5/4/83 19 Completed 5/5/83 19		
9) CONSTRUCTION: Special standards: Yes \( \text{No} \( \text{D} \)	Date well drilling machine moved off of well 5/5/83 19		
Vell seal—Material usedX	(unbonded) Water Well Constructor Certification (if applicable):		
vell sealed from land surface to	This well was constructed unless that		
Diameter of well bore to bottom of sealin.	and information reported above are true to my best knowledge and belief,		
Diameter of well bore below sealin.	[Signed]Date		
Number of sacks of cement used in well seal sacks	Bonded Water Well Constructor Certification:		
Now was cement grout placed?	Bond Issued by Great American Insurance		
X	Surety Company Name		
Was numn installed?	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Vas pump installed?	Name A. M. JANNSEN WELL DRILLING CO., INC.		
Vas a drive shoe used?	(Person, firm or corporation)  Address 1075 SW Tualatin Valley Hwy. Aloha, Or.		
ype of Water? depth of strata y	Audiess I.W. ATOlia, Ur.		
Method of sealing strata off	[Signed Clark Medically		
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	Water Well Constructor		
ravel placed from ft. to ft.	баte5 <u>//7/83</u> , 19		