NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

JUL 14 WASTER WELL REPORT

CLAC

C489Qtate Well No.

STATE ENGINEER, SALEM, OREGON 310 TE S.NG! STATE OREGON within 30 days from the date of well completion.

of well completion.	ype or print) State Permit No.
(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is
Name RICE. Clyde	lowered below static level
Address Rt. 1 Clackamas Oregon	Was a pump test made? ☐ Yes ☐ No If yes, by whom?
radicos	Yield: gal./min. with ft. drawdown after hrs.
(2) TOCARION OF MELT	" " "
(2) LOCATION OF WELL:	" " " " " " " " " " " " " " " " " " " "
County Clackamas Driller's well number / 965-/7	Bailer test / gal./min. with / ft. drawdown after / hrs.
14 14 Section 18 T. 2 S R. 3 E W.M.	Artesian flow g.p.m. Date
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made? Yes No
	(12) WELL LOG: Diameter of well below casing
	Depth drilled 48 ft. Depth of completed well 9 ft
	Formation: Describe by color, character, size of material and structure, and
	show thickness of aquifiers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
(3) TYPE OF WORK (check):	MATERIAL FROM TO
Article was a series of the se	
New Well Deepening Reconditioning Abandon Landonment, describe material and procedure in Item 12.	Des ench Casing
	1 1 1
(4) PROPOSED USE (check): (5) TYPE OF WELL:	was estended from
Domestic Industrial Municipal Rotary Driven	104 100
Irrigation ☐ Test Well ☐ Other ☐ Cable ☐ Jetted ☐	60 feet already in
_ Dug ∐ Bored □	181100
(6) CASING INSTALLED: Threaded Welded	place to be feet. Old
"Diam. from oft. to ft. Gage	V for A.
" Diam. fromft. toft. Gage	4 liner was pulled
5/6." Diam. from 63 ft. to 9 ft. Gage	
(7) PERFORATIONS: Perforated? Yes No	and 3 perforalled lines
Type of perforator used	ingto the miles
Size of perforations / s in. by /2 in.	marie of select remove
60 perforations from 32 ft. to 98 ft.	The state of the s
perforations from ft. toft.	gram were prize interess
perforations fromft. toft/	Coles Dans
perforations from ft. to ft.	July 1
perforations from ft. to ft.	
(8) SCREENS: Well screen installed? The Mo	
11 oz bozodz 200 p. 110	
Manufacturer's Name	
Type Model No.	5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Slot size Set from ft. to ft.	Work started June 26 1965. Completed June 30 165
Diam. Slot size Set from ft. to ft.	Date well drilling machine moved off of well June 30, 1965 19
(9) CONSTRUCTION:	(13) PUMP:
Well seal—Material used in seal	
Depth of sealft. Was a packer used?	Manufacturer's Name July
Diameter of well bore to bottom of sealin.	Type: H.P.
Were any loose strata cemented off? Yes No Depth	Water Well Contractor's Certification:
Was a drive shoe used? ☐ Yes ☐ No #	
Was well gravel packed? ☐ Yes ☐ No. Size of gravel:	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Gravel placed fromft. toft.	
Did any strata contain unusuable water? ☐ Yes ☐ No	NAME SKYLES DRILLING & SUPPLY (Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address GLADSTONE, OREGON (Type or print)
Method of sealing strata off	2
(10) WATER LEVELS:	Drilling Machine Operator's License No.
	[Signed The seal of Sky Sky
Static level	(Water Well Contractor)
Artesian pressure O lbs. per square inch Date	Contractor's License No. 58 Date June 30