

RECEIVED

STATE OF OREGON  
WATER SUPPLY WELL REPORT  
(as required by ORS 537.765)

DEC 20 1996

(START CARD) # 79405

Instructions for completing this report are on the last page of this form WATER RESOURCES DEPT.

(1) OWNER: HLH Farms Inc.  
Well Number 700# 109300 SALEM, OREGON

Name HLH Farms Inc.  
Address 5120 SW Barbara Rd.  
City Tualatin State Or Zip 97062

LOCATION OF WELL by legal description:  
County Clackamas Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
Township 3S N or S Range 1E E or W. WM.  
Section 25 SE 1/4 SW 1/4  
Tax Lot 00503 Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
Street Address of Well (or nearest address) 220175 Central Point Rd.

(2) TYPE OF WORK  
 New Well  Deepening  Alteration (repair/recondition)  Abandonment

(3) DRILL METHOD:  
 Rotary Air  Rotary Mud  Cable  Auger  
 Other \_\_\_\_\_

(4) PROPOSED USE:  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other \_\_\_\_\_

(5) BORE HOLE CONSTRUCTION:  
Special Construction approval  Yes  No Depth of Completed Well 120 ft.  
Explosives used  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE SEAL

Diameter	From	To	Material	From	To	Sacks or pounds
10"	0	20	Bentonte	0	20	12 sacks
6"	20	140				

How was seal placed: Method  A  B  C  D  E  
 Other \_\_\_\_\_  
Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 6"	+1	23'	.252	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner: 4"	5'	112		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) \_\_\_\_\_

(7) PERFORATIONS/SCREENS:

Perforations Method Sawed  
 Screens Type \_\_\_\_\_ Material \_\_\_\_\_

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
50	120	1/8"	180	4"	1 1/2"	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem at	Time
30	60	81	2hr.

Pump  Bailer  Air  Flowing Artesian  
Temperature of water 54 Depth Artesian Flow Found \_\_\_\_\_  
Was a water analysis done?  Yes By whom \_\_\_\_\_  
Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_  
Depth of strata: \_\_\_\_\_

(10) STATIC WATER LEVEL:  
21 ft. below land surface. Date 11-21-96  
Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

(11) WATER BEARING ZONES:

Depth at which water was first found 98'

From	To	Estimated Flow Rate	SWL
98	129	30 GPM.	21

(12) WELL LOG:

Ground Elevation \_\_\_\_\_

Material	From	To	SWL
Soil Brown	0	2	
Clay Brown	2	28	
Sandy Clay Brown	28	49	
Sandy Clay Grey	49	61	
Clay Grey	61	79	
Clay Brown	79	98	
Sand Brown Some Clay Brown	98	129	21
Clay Blue	129	140	

Date started 10-27-96 Completed 11-21-96

(unbonded) Water Well Constructor Certification:  
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.  
WWC Number \_\_\_\_\_  
Signed \_\_\_\_\_ Date \_\_\_\_\_

(bonded) Water Well Constructor Certification:  
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.  
WWC Number 1586  
Signed Tom St Date 12-4-96