NOTICE TO WATER WELL CONTRACTOR

65185

The original and first copy
of this report are to be
filed with the
STATE ENGINEER, SALEM 10, OREGON
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

Highes type of print)

State Permit No. ....

(1) OWNER:	, (11) WELL TESTS: Drawdown is amount wa	el	
Name Logan Investment Co.	Was a pump test made? X Yes \( \text{No If yes, by whom?} \) Yield: 60 gal,/min, with 39 ft. drawdown		
Address Rte. 1 Box by	<u>Yield: 60 gal./min. with 39 ft. drawdown</u>	after 2 hrs. 2 "	
Oregon City , Oreg.	" 9lı " 59 "	2 ::	
(2) LOCATION OF WELL:	Bailer test gal./min. with 75 ft. drawdown	<del></del>	
County Clackamas Driller's well number 28-62	Artesian flow g.p.m. Date		
N. E14 S. E14 Section 28 T.2 S R. 3 E W.M.	Temperature of water 52 Was a chemical analysis ma	ade? □ Yes ☑ No	
Bearing and distance from section or subdivision corner			
Logan Investment Co.	(12) WELL LOG: Diameter of well below cas	_	
Rte. 5 Box 517	Depth drilled 118 ft. Depth of completed well	118 ft.	
Oregon City , Ore.	Formation: Describe by color, character, size of material show thickness of aquifers and the kind and nature of the stratum penetrated, with at least one entry for each characteristics.	and structure, and se material in each ange of formation.	
	MATERIAL	FROM TO	
(3) TYPE OF WORK (check):	Top soil	0 7	
New Well \( \) Deepening \( \) Reconditioning \( \) Abandon \( \)	Clay, brown	1 13	
abandonment, describe material and procedure in Item 12.	Gravel , cement conglomerate	13 80	
	Gravel	80 85	
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Gravel . cement conglomerate	85 1.00	
Domestic ☐ Industrial ☐ Municipal ☐ Rotary ☐ Driven ☐ Cable ☒ Jetted ☐	Gravel	700 778	
Irrigation ☐ Test Well ☐ Other 🔯 Dug ☐ Bored ☐			
(A) CLEATING THORAGE TO THE			
(6) CASING INSTALLED: Threaded □ Welded ☑			
"Diam. from			
ft. toft. Gage			
(7) PERFORATIONS: Perforated? ★ Yes □ No			
Type of perforator used Milla Knife			
Size of perforations $\frac{1}{4}$ in. by 2 in.			
76 perforations from 98 ft. to 116 ft.			
perforations from ft. to ft.			
perforations from ft, to ft,			
perforations from ft. to ft.			
perforations from ft. to ft.			
(8) SCREENS: Well screen installed ☐ Yes ☐ XNo			
Manufacturer's Name			
Model No.			
Set from		16/62 19	
Diam. Slot size Set from ft. to ft.	Date well drilling machine moved off of well 5/	19/62 19	
(9) CONSTRUCTION:	(13) PUMP:		
Well seal-Material used in seal drill cuttings & clay	Manufacturer's Name Jacuzzi	***************************************	
Depth of sealft. Was a packer used?fine crushed	туре: Submersible н	.р3	
Diameter of well bore to bottom of sealin.			
Were any loose strata cemented off? Tyes No Depth	Water Well Contractor's Certification:		
Was a drive shoe used? 🔀 Yes 🗌 No	This well was drilled under my jurisdiction a true to the best of my knowledge and belief.	nd this report is	
Was well gravel packed? ☐ Yes 🋣 No Size of gravel:	and to the best of my knowledge and benef.		
Gravel placed fromft, toft.	NAME Steinman Bros.	***************************************	
Did any strata contain unusable water? 🗍 Yes 🏋 No	(Person, firm or corporation) (Type or print)		
Type of water? Depth of strata	Address 15112 S.E.McLoughlin Milwaukie 22, Ore.		
Method of sealing strate off	Drilling Machine Operator's License No		
(10) WATER LEVELS:	A Comment of the Comm		
Static level 31 ft. below land surface Date 5/16/62	[Signed] (Water Well Contractor)		
Arterion procesure the per square inch Date		27/62 10	