

OBSERVATION WELL

PICKE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED WATER WELL REPORT STATE OF OREGON JAN 14 1968 STATE ENGINEER SALEM, OREGON

STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

STATE OF OREGON (Please type or print) not write above this line

CLAC 52897 G 5492

State Well No. 2/3-10 bab State Permit No.

(1) OWNER:

Name Mr. M. Fujimoto Address Rt. 3 Box 282 Boring, Oregon

(2) TYPE OF WORK (check):

New Well [] Deepening [] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

CASING INSTALLED:

Threaded [] Welded []

8" Diam. from 246 ft. to 330 ft. Gage .250

(6) PERFORATIONS:

Perforated? [] Yes [] No.

Type of perforator used Torch Size of perforations 3/16 in. by 10 in. 64 perforations from 254 ft. to 270 ft. 56 perforations from 283 ft. to 297 ft. 12 perforations from 325 ft. to 328 ft.

(7) SCREENS:

Well screen installed? [] Yes [] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 165 ft. below land surface Date Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Bottner

Was a pump test made? [] Yes [] No If yes, by whom? Drlg. Co. 285 gal./min. with 85 ft. drawdown after 13 hrs. 300 " 95 " 3 "

Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water 53 Was a chemical analysis made? [] Yes [] No

(10) CONSTRUCTION:

Well seal—Material used Depth of seal ft. Diameter of well bore to bottom of seal in. Were any loose strata cemented off? [] Yes [] No Depth Was a drive shoe used? [] Yes [] No Did any strata contain unusable water? [] Yes [] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Multnomah Driller's well number Clackamas 1/4 Section 10 T. 2S R. 3E W.M.

Bearing and distance from section or subdivision corner

(12) WELL LOG:

Depth drilled 340 ft. Diameter of well below casing Back filled w/Gravel to 330 ft. Depth of completed well to 330 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows: Clay, Blue (305-323), Grave, Cemented with seams w/water (323-328), Clay, Blue (328-340)

Work started Feb. 8 19 68 Completed Feb. 28 19 68

Date well drilling machine moved off of well Feb. 28 19 68

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Louis M. Brant Date 10/15/68 (Drilling Machine Operator)

Drilling Machine Operator's License No. 246

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME HAakon BOTTNER DRILLING COMPANY (Person, firm or corporation) (Type or print)

Address 3424 S.E. 174th AVE. Portland, Ore.

[Signed] Haakon Bottner (Water Well Contractor)

Contractor's License No. 109 Date 11/23 19 68