NOTICE TO WATER WELL CONTRACTOR  The original and first copy of this report are to be filed with the	RECEIVED	- A	
/ U STATE OF OREGON VIII U V 13/4 State Well No Well N			
within 20 days from the dath			
of well completion. (Do not write a	bove this ligALEM, OREGON	10	
(1) OWNER:	(10) LOCATION OF WELL:		
Name Albert P. & Olga Schosnig	County Clackamas Driller's well n		
Address Rt.4, Box 589, Boring, Oregon 9700			
7/00 BOIL 507 & BOILING OF GROIT 7/00	7 Section 1. The B. W.M.		
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner		
New Well	Addition Lot 19 Tax	Lot 00200	
If abandonment, describe material and procedure in Item 12.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.		
Potenty D Drivon D	Depth at which water was first found 90 ft.		
Cable Jetted   Domestic   Industrial   Municipal	Static level 47 ft. below land	surface. Date 7=11→74	
Dug   Bored   Irrigation Test Well   Other	Artesian pressure lbs. per square inch. Date		
CASING INSTALLED: Threaded □ Welded M.	(12) WELL LOG: Diameter of well below againg 8 th.		
8 "Diam. from 0 ft. to 238 ft. Gage • 250	Down deliver 250		
" Diam. from ft. to ft. Gage			
"Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and show thickness and nature of each stratu	and structure of materials; m and aquifer penetrated.	
PERFORATIONS: Perforated? XI Yes   No.	with at least one entry for each change of forma position of Static Water Level and indicate prin	tion. Report each change in	
Type of perforator used Drive down single	MATERIAL	From To SWL	
Size of perforations 1 in. by 3/8 in.	Top soil	0 2	
120 perforations from 90 ft. to 100 ft.	Clay, brown	2 25	
perforations fromft. toft.	Gravel & Boulders	25 90 42	
perforations from 225 ft. to 225 ft.	Gravel, water brng.20gpm	90 110	
(7) SCREENS: Well screen installed?   Ves 57 No	Gravel, cemented & bldrs.		
(7) SCREENS: Well screen installed? ☐ Yes ☑ No	Gravel, sand, yellow W/br	1g140 150	
Type	Gravel, cemented & bldrs	150 162	
Diam. Slot size Set from ft. to ft.	Clay brown	162 166 46	
Diam. Slot size Set from ft to	Clay, yellow Clay, brown & grayel	166 180 "	
	Clay, brown & gravel Clay, brown	180 215 215 225	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level Bottner	Gravel, cemented, streaks		
Was a pump test made? A Yes   No If yes, by whom? Drilling	of loose gravel with		
Yield: 50 gal./min. with 318 ft. drawdown after 2 hrs.	some water	225 238 147	
100 " 75 water clear o	Clay, blue	238 250 #1	
" 140 " 135 to sandy 5 "			
Bailer test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.		Frank Programs	
perature of water Depth artesian flow encounteredft			
=	Work started May 9 19 71 Completed July 1 19 71.  Date well drilling machine moved off of well July 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
(9) CONSTRUCTION:			
Wen sear—Material used	Drilling Machine Operator's Certification: This well was constructed under my	direct aure	
Well sealed from land surface toft.  Diameter of well bore to bottom of sealin.	Materials used and information reported	above are true to my	
Diameter of well bore below seal	best knowledge and belief.		
Number of sacks of cement used in well seal	[Signed] (Drilling Machine Operator)	Date July 266 74	
Number of sacks of bentonite used in well seal sacks	Drilling Mechine Operator's License No.	902	
Brand name of bentonite	wer in the second second		
Number of pounds of bentonite per 100 gallens	Water Well Contractor's Certification:	= v= == 1	
of water Ibs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? ▼ Yes □ No Plus Size: location ft.	Name HAAKON BOTTNER DRILLING COMPANY		
Did any strata contain unusable water?  No	(Person, firm or corporation) (Type or print)		
Type of water? depth of strata	Address 3424 S.E. 174th., PORTLAND, OR, 97236		
Method of sealing strata off	[Signed] Haskon Botting		
Was well gravel packed? ☐ Yes ☐ No Size of gravel:			
Gravel placed fromft_10ft_	Contractor's License No. 109 Date Ju.	1y 26 , 19 74	
(USE ADDITIONAL SHEETS IF NECESSARY) SP*45656-119			