NOTICE TO WATER WELL CONTRACTOR

State Permit No. ..

of this report are to be filed with the state of the engineer, SALEM, OREGON 97310.

STATE ENGINEER, SALEM, OREGON 97310.

WATER WELL REPORT 1967 STATE OF OREGON within 30 days from the date 1 1 E ENGINEER type or print) of well completion.

SALEM. OREGON write above this line)

(1) OWNER:	(11) LOCATION OF WELL:			
Name L.H. Morris		_		
Address Rt. 3 Box 244 Boring. Oregon				
The second secon	14 14 Section 5 T. 26		4E	W.M
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision	on corner		
New Well 🗶 Deepening 🗌 Reconditioning 🗍 Abandon 🖂				i te ge
If abandonment, describe material and procedure in Item 12.	and the second s			
(3) TYPE OF WELL: (4) PROPOSED USE (check):				
Rotary Driven Domestic Industrial Municipal Domestic	(12) WELL LOG: Diameter of well	below cas	ing	***************
Dug Bored Irrigation Test Well Other	Depth drilled 155 ft. Depth of comp	leted well	1/3	ft.
CASING INSTALLED: Threaded [] Welded []	Formation: Describe color, texture, grain size	and struc	ture of n	ıaterials;
CASING INSTALLED: Threaded Welded 5	and show thickness and nature of each stratu with at least one entry for each change of form	nation. Re	eport each	n change
5 " Diam from 116 ft. to 143 ft. Gage 10	in position of Static Water Level as drilling pr	oceeds. N	ote drillin	ng rates.
" Diam. fromft. toft. Gage	MATERIAL	From	To	swl
	Soil	0	3	
PERFORATIONS: Perforated? A Yes No.	Red Clay	3	20	
Type of perforator usedacet. torch	Brown clay and boulders	20	50_	
Size of perforations 1/8 in. by 18 in.	Cement gravel	50	106	
20 perforations from 123 ft. to 143 ft.	Gray sandstone	106	111	
perforations from ft. to ft.	Cement gravel	111	155	
perforations fromft. toft.				
perforations fromft. toft.				
perforations fromft. toft.				
(7) SCREENS: Well screen installed? Yes X No				
Manufacturer's Name		·		
Type	1.			
Diam. Slot size Set from ft. to ft.	-		- 11	
Diam. Slot size Set from ft. to ft.	2.			
(8) WATER LEVEL: Completed well.				
Static level 60 ft. below land surface Date 8/2/67	,			
sian pressure Ibs. per square inch Date			-	
				
(9) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? ☐ Yes 🍱 No If yes, by whom?		٠		
yield: gal./min. with tt. drawdown after hrs.	Work started 7/12/67 19 Complete	d 8/2	/67	19
H Annual Control of the Control of t	Date well drilling machine moved off of well	8/2/6		19
" H	Drilling Machine Operator's Certification:		-	
Bailer test 30 gal./min. with 40 ft. drawdown after 13 hrs.	This well was constructed under my dis	rect supe	rvision.	Mate-
Artesian flow g.p.m. Date	rials used and information reported abov knowledge and belief.	e are tri	ie to m	y best
Temperature of water 52 Was a chemical analysis made? Yes 15 No		2. ~	· Wm	
	(Drilling Machine Operator)	Date 9/9	ι/.δ:/,	19
(10) CONSTRUCTION:	Drilling Machine Operator's License No	380		
Well seal—Material used bentonite			**********	
Depth of sealft. Diameter of well bore to bottom of sealfn.	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal in. Were any loose strata cemented off Yes I No Depth	This well was drilled under my jurisdic true to the best of my knowledge and belie	tion and	this rep	ort is
Was a drive shoe used? Yes No Depth				
Did any strata contain unusable water? [Yes A No	NAME Ross A. Jannsen Well Drilling (Type or print)			
Type of water? depth of strata	Address Rt. i Box 271 Estacad			7023
Method of sealing strata off			CHETK.J.	.×.::
	[Signed] Loss a Januse			
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Well Contracto			
Gravel placed fromftft.	Contractor's License No433 Date9	/9/67		9