STATE OF OREGON						
WATER SUPPLY WELL REPORT (as required by ORS 537.765)		(START CARD	))#119065		· <del>·</del> · · · · · · · · · · · · · · · · · ·	
Instructions for completing this report are on the last page of this	s form.					
(1) OWNER: Well Number		(9) LOCATION OF WELL by legal description:				
Name Hellandia Gardens, Inc	County -	County Clackamas Latitude		Longitude		
Address 30711 8. Meridian	Township	Township 50 N or S Range 1 1/4 Sw 1/4  Tax Lot 2700 Lot Block Subdi		E or '	W. WM.	
City hubband State Up Zip	Section_	- M-	1/4	1/4		
(2) TYPE OF WORK	Tax Lot _	Lot Blox	ckSu	bdivision_		
New Well Deepening Alteration (repair/recondition) Aba	andonment Street Add	iress of Well (or nearest addres	s)			
(3) DRILL METHOD:	34m=					
Rotary Air Rotary Mud Cable Auger	(10) STATI	C WATER LEVEL:				
Other		ft. below land surface.	Γ	Date		
(4) PROPOSED USE:			square inch.	Date		
Domestic Community Industrial Irrigation	(11) WATE	R BEARING ZONES:				
Thermal Injection Livestock Other						
(5) BORE HOLE CONSTRUCTION:	Depth at whice	h water was first found				
Special Construction approval Yes No Depth of Completed We	11 <u></u> ft.					
Explosives used Yes No Type Amount		n To	Estimated	I Flow Rate	e SW	
HOLE SEAL	20	<del>- 159</del>			<del>-   87-</del>	
Diameter From To Material From To Sacks or	pounds				<del></del>	
	sacks					
8 40 59					-	
	(12) WELI	LOG:				
How was seal placed: Method \[ \begin{array}{ccccc} A & B & C & \end{array}	D DE	Ground Elevation		_		
Other Dentite				T #	7	
Backfill placed from ft. to ft. Material		Material	From	То	SWL	
Gravel placed from ft. to ft. Size of gravel			<u> </u>	<del>}</del>		
(6) CASING/LINER:	- Cray,	brown	3	<del>  2 </del>	+	
Diameter From To Gauge Steel Plastic Welded	Threaded Dlay	<del>grey</del>	#2	<del>  1</del>	+	
Casing 8"   39   250   10   12   12   12   12   12   12   1	☐   <del>  Clay, -</del>	brown w/ cemented es:	<del>nd 63</del>	<del>  17                                   </del>	+	
	□   <del>  Cement</del>	<del>ed Gravel</del>	67	<del>\$2</del> -	+	
	□   <del>Sand,</del>	<del>brown nword</del>	+ + + + + + + + + + + + + + + + + + + +	#4	+	
	☐   <del>  5ano,</del>	gravel, brown		<del>\$7</del>	+	
Liner:	☐ <del>☐ 5and,</del>	<del>cemented,brown -</del>	<del></del>	<del>†2</del> —	<del> </del>	
	□   <del>  Slay,</del>	₫ <b>7£</b> y	92-	113	+	
Final location of shoe(s)	Jement	ed gravel	113	1:-	+	
(7) PERFORATIONS/SCREENS:	- Clay-	<del>dark grey, some sand</del>	111	125	+	
Perforations Method	Cement	<del>ed gravel, black</del>	125	152	+	
Screens Type Material Slot Tele/pipe	——————————————————————————————————————	grey	152	159	+-	
From To size Number Diameter size Casin	g Liner			<del></del>	+	
1 <u>24 156 3/16 410                                  </u>				+	+	
	Ц I			<del></del>	+	
	<u> </u>				+	
				+	+	
				+	<del> </del>	
		2aa 10 (0/30	Complete to 30.3	. ,		
(8) WELLTESTS: Minimum testing time is 1 hour	Date started			<u>y 17, 20</u>	<u> AAJ</u>	
	lowing ( `	Water Well Constructor Cert		mtio=	handar	
	of this well is	at the work I performed on the in compliance with Oregon w	ater supply well co	nstruction :	standards.	
Yield gal/min Drawdown Drill stem at	Materials use	d and information reported abo	ove are true to the b	est of my l	knowledge	
airline @	1 hr. and belief.		unucs			
250 130 5 hr			WWC Nu			
	Signed	iter Well Constructor Certific		Date		
Temperature of water Depth Artesian Flow Found						
Was a water analysis done? Yes By whom	CEVED ccept re	sponsibility for the construction this well during the construction	on, alteration, or ab-	andonment	. work work	
Did any strata contain water not suitable for intended use?	performed du	ring this time is in compliance	with Oregon water	r supply we	ell	
Salty Muddy Odor Colored Other	construction	standards. This report is true to	o the best of my kn	iowledge <u>a</u> n	nd belief.	
Depth of strata:	IG 1 8 2 <b>000</b>	72 1	WWC Nu	mber _/_	<del>2</del> / / _	
	C:nma.2	1.12.1.		Date 2	a 4.U. K	