CLAC 57354

State of Oregon WATER WELL REPORT (as required by ORS 537.765) Page	State Well ID L52966 1 of 1 Start Card # 135838
(1) OWNER: Well No. L52966 Name LARRY & KATHY THOMPSON Address 4132 SW 13TH COURT City GRESHAM St OR Zip 97080 (2) TYPE OF WORK: NEW WELL RECEIVED	Tax lot 00500 Lot Block Subdivision
,	11850 SE 242ND AVE BORING, OR 97009
(3) DRILL METHOD: ROTARY AIR OCT 2 3 2001 (4) PROPOSED USE: DOMESTIC WATER RESUUNCES DE SALEM, OREGON	(10) STATIC WATER LEVEL: Date 10-16-0 PT. 220 ft. below land surface. Date 10-16-0 Artesian pressure
(5) BORE HOLE CONSTRUCTION:	
	480 ft (11) WATER BEARING ZONES: Depth at which water was first found 60
Explosives used NO Type Amount	
HOLE SEAL	
Diam. From To Material From To Amount	200 5t CPM 220
10 0 310 BENTONITE 0 24 18 SAC	KS 200 200 50 50 220
7 7/8 310 480 CEMENT 24 310 96 SAC	KS 380 480 50+ GPM 220
Seal placement method C & POURED IN	(12) WELL LOG:
Backfill: from ft to ft Material	Ground elevation
Gravel: from ft to ft Size	Material From To SWL
	TOP SOIL 0 2
(6) CASING/LINER:	RED CLAY 2 66 55
Diam. From To Gauge Material Connecti	on HARD BLACK BASALTS 66 260 220
Casing 6 +1 480 .250 STEEL WELDED	BROWN CEMENTED GRAVEL 260 280
	BLUE CEMENTED GRAVEL WITH SEAMS OF BLUE 280
	380
	BLACK SAND & GRAVEL FINE 380 423 220
	YELLOW SAND AND GRAVEL 423 460 220
Liner	MULTI COLORED LIGHTLY CEMENTED GRAVEL 460 220
Final Location of shoe(s) 480' 5 1/2"	WITH SEARS OF TEERON WIND
	IF WELL DOESN'T MAKE 100 GPM AS IS,
(7) PERFORATIONS/SCREENS:	COULD BE PERFORATED FROM 395'-415'
[_] Perf. Method	WITHOUT MUCH SAND.
[] Screens Type Material	
From To Size Number Diam. Size Casing/	liner
	Date started <u>Active</u> Completed <u>Active</u>
	(unbonded) Water Well Constructor Certification: I certify tha
	the work I performed on the construction, alteration, or aband
	onment of this well is in compliance with Oregon water supply
	well construction standards. Materials used and information
(8) WELL TESTS: Minimum testing time is 1 hour	reported above are true to my best knowledge and belief.
Test type PUMP	reported above are true to my best knowledge and berren. WWC Number
Draw- Drill stem	
Yield GPM down at Time	Signed Date
50 480 1 hr.	
50 480 4 hr	(bonded) Water Well Constructor Certification: I accept respon
20 60 24 hr a	<pre>ir sibility for the construction, alteration, or abandonment work</pre>
	and the supervision standards. This
Temperature of water 51 Depth Artesian Flow Found	report is true to the best of my knowledge and belief.
Was water analysis done? NO By whom	report is true to the best of in thomesuge and better.
Reason for water not suitable for use	at hiller
Depth of strata	Signed Lett - United to -20-01

ORIGINAL & FIRST COPY - WATER RESOURCES DEPTARTMENT SECOND COPY - CONSTRUCTOR THIRD COPY - CUSTOMER 9809C 10/91

-