

Westerberg Drilling, Inc.
36728 S. Kropf Rd.
Molalla, OR 97038

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)

WELL I.D. # L 67461
START CARD # 166729

Instructions for completing this report are on the last page of this form.

(1) LAND OWNER
Name Stan Schultz
Address 29722 S. Molalla Ave.
City Molalla State OR Zip 97038

(2) TYPE OF WORK
New Well Deepening Alteration (repair/recondition) Abandonment

(3) DRILL METHOD:
Rotary Air Rotary Mud Cable Auger
Other

(4) PROPOSED USE:
Domestic Community Industrial Irrigation
Thermal Injection Livestock Other

(5) BORE HOLE CONSTRUCTION:
Special Construction approval Yes No Depth of Completed Well 179 ft.
Explosives used Yes No Type Amount

Table with columns: HOLE Diameter, From, To, Material, SEAL From, To, Sacks or pounds. Row 1: 10", 0, 37, Bentonite, 0, 37, 34 sacks. Row 2: 6", 37, 179.

How was seal placed: Method A B C D E
Other Bentonite poured & probed
Backfill placed from ft. to ft. Material
Gravel placed from 143 ft. to 179 ft. Size of gravel 8-12

(6) CASING/LINER:
Casing: Diameter 6", From +1, To 156, Gauge .250, Steel, Plastic, Welded, Threaded
Liner: Diameter 4", From 143, To 163, CL200, 4" 173, 179, CL200, XX screwed

(7) PERFORATIONS/SCREENS:
Perforations Method
Screens Type V-wire Material Stainless
From 163 To 173 Slot size .040 Number Diameter 4" Tele/pipe size PS Casing Liner

(8) WELL TESTS: Minimum testing time is 1 hour
Pump Bailer Air Flowing Artesian
Yield gal/min Drawdown Drill stem at Time
35 N/A 120' 1 hr.

Temperature of water 56° Depth Artesian Flow Found
Was a water analysis done? Yes No By whom NO
Did any strata contain water not suitable for intended use? Too little
Salty Muddy Odor Colored Other
Depth of strata:

(9) LOCATION OF WELL by legal description:
County Clackamas Latitude Longitude
Township 4S N or S Range 2E E or W. WM.
Section 32 NE 1/4 SE 1/4
Tax Lot 800 Lot Block Subdivision
Street Address of Well (or nearest address) 29722 S. Molalla Ave.
Molalla, OR 97038

(10) STATIC WATER LEVEL:
37 ft. below land surface. Date 7-27-04
Artesian pressure lb. per square inch Date

(11) WATER BEARING ZONES:
Depth at which water was first found 90'

Table with columns: From, To, Estimated Flow Rate, SWL. Row 1: 90', 104', 5 gpm, 37'. Row 2: 168', 171', 40+ gpm, 37'.

(12) WELL LOG:
Ground Elevation

Table with columns: Material, From, To, SWL. Rows include: clay grey (0-4), clay brown (4-9), cemented gravel (9-67), clay brown w/ gravel (67-74), cemented gravel (74-104), claystone gry w/ gravel (104-113), clay grey (113-125), clay brown & grey (125-135), packed silt grey & brn (135-150), packed silt gry harder (150-169), sand (169-171), clay brown (171-179).

Date started 7-22-04 Completed 7-27-04

(unbonded) Water Well Constructor Certification:
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.
Signed [Signature] WWC Number 1358 Date 8-11-04

(bonded) Water Well Constructor Certification:
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
Signed [Signature] WWC Number 688 Date 8-11-04