| NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the | | 15 BF | 9 da | |
|--|---|--|--|--|
| STATE OF STATE ENGINEER, SALEM, OREGON 97318 (Please type | OREGON NOV 2 1976 State Well No. | f. St. of the Control | | |
| within 30 days from the date | or WATER RESOURCES I State Permit No ove this line ALEM OFFICE. | o | | |
| of well completion. | ove this lineALEM. CDECON | | | |
| (1) OWNER: 288 | (10) LOCATION OF WELL: | a a | 1 | |
| Name 23 | County Clackamas Driller's well nu | | | |
| Address 9330 S.E.WOODED COURT | NE 14 SE 14 Section 29 T. 18 R. 3E W.M. | | | |
| PORTLAND, OREGON 97236 | Bearing and distance from section or subdivision corner | | | |
| (2) TYPE OF WORK (check): | | | | |
| New Well Deepening Reconditioning Abandon | | X | | |
| If abandonment, describe material and procedure in Item 12. | (11) WATER LEVEL: Completed w | | ^ | |
| (3) TYPE OF WELL: (4) PROPOSED USE (check): | Depth at which water was first found | 92 | ft. | |
| Rotary Driven Domestic L Industrial Municipal | Static level 102 ft. below land s | surface. Date 1 | 0/12/76 | |
| Cable Jetted | Artesian pressure lbs. per squar | | • | |
| | | | | |
| CASING INSTALLED: Threaded Welded A | (12) WELL LOG: Diameter of well below casing 8 | | | |
| 8 " Diam. from Plus 2 ft. to 138 ft. Gage 250 | Depth drilled 210 ft. Depth of completed well 210 ft. | | | |
| 7"OD " Diam. from 130 ft. to 210 ft. Gage • 188 | Formation: Describe color, texture, grain size and structure of materials; | | | |
| " Diam. from ft. to ft. Gage | and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in | | | |
| PERFORATIONS: Perforated? X Yes No. | position of Static Water Level and indicate prin | cipal water-beari | ng strata. | |
| Type of perforator used Torch | MATERIAL | From To | swL | |
| Size of perforations 10m in. by 1/8 in. | Top soil | 0 4 | | |
| 140 perforations from 140 ft. to 207 ft. | Clay brown with gravel | 11 81 | | |
| perforations fromft. toft. | Bedrock, hard | 81 85 | | |
| perforations from ft. to ft. | Clay, brown with gravel | 85 92 | | |
| | Rock, red, soft | 92 97 | 109 | |
| (7) SCREENS: Well screen installed? Yes No | Clay, brown with gravel | 97 102 | | |
| Manufacturer's Name | Rock with some caay | 102 109 | <u> </u> | |
| Type Model No. | Cinders, red, soft | 109 137 | | |
| Diam. Slot size Set from ft. to ft. | Rock, burgandy | 137 156 | | |
| Diam, Slot size Set from ft. to ft. to ft. | Basalt gray | 156 170 170 195 | 102 | |
| (8) WELL TESTS: Drawdown is amount water level is lowered below static level Bottner | Rock, black, soft W/Brng. Rock, hard | 195 209 | | |
| | Gravel, large, water brng. | 209 210 | | |
| yield: 110 gal./min. with 28 ft. drawdown after 18 hrs. | Marie 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | |
| " " | | | | |
| " | # # # # # # # # # # # # # # # # # # # | | - | |
| Bailer test gal./min. with ft. drawdown after hrs. | | | | |
| Artesian flow g.p.m. | | | | |
| mperature of water 1 Depth artesian flow encountered ft. | Work started Sept.9 19 76 Complet | ed Nov.5 | 1976 | |
| | Date well drilling machine moved off of well Nov-5 1976 | | | |
| (9) CONSTRUCTION: | | | | |
| Well seal-Material usedCement Grout | Drilling Machine Operator's Certification: This well was constructed under my direct supervision. | | | |
| Well sealed from land surface to | Materials used and information reported above are true to my | | | |
| Diameter of well bore to bottom of seal | best knowledge and belief. | | | |
| Diameter of well bore below seal | [Signed] (Drilling Machine Operator) | DateNo.v. | , 19.10. | |
| O | Drilling Machine Operator's License No. 928 | | | |
| Number of sacks of bentonite used in well seal sacks | | | | |
| Brand name of bentonite | Water Well Contractor's Certification: | | | |
| Number of pounds of bentonite per 100 gallons of water lbs./100 gals. | This well was drilled under my jurisdiction and this report is | | | |
| of waterlbs./100 gals. Was a drive shoe used? Yes \[\sum No \] Plugs Size: location ft. | true to the best of my knowledge and belief. Name HAAKON BOTTNER DRILLING COMPANY | | | |
| Did any strata contain unusable water? X Yes \(\text{No} \) No | (Person, firm or corporation) (Type or print) | | | |
| Type of water? Red depth of strata 92 to 97 | Address 3424 S.E.174#th.PORTLAND, OR. 97236 | | | |
| Method of sealing strata off Cased | [Signed] Haskon Bottmer | | | |
| Was well gravel packed? ☐ Yes. ZNo Size of gravel: | (Water Well Cont | | | |
| Gravel placed from ft. to ft. | Contractor's License No. 109 Date | Nov.15 | <u>, 19</u> 76 | |
| | | | | |