# CLAC 61792 CLAC 61792

## STATE OF OREGON WATER SUPPLY WELL REPORT

## SKYLES DRILLING, INC.

WELL ID # L None

(as required by ORS 537.765)

Instructions for completing this report are on the last page of this form

503-656-2683

START CARD# \_\_W181910

(1) OWNER: Well Number: 01	(9) LOCATION OF WELL by legal description:
Name Canby Excavating, Inc. / Ponte Cino Project	County Clackamas Latitude Longitude Township 2SOUTH N or S. Range 2EAST E or W. of WM.
Address P.O. Box 848  City	Section <u>02DB</u> <u>NW</u> 1/4 SE 1/4
(2) TYPE OF WORK:	Tax lot 00400 Lot Block Subdivision Street Address of Well (or nearest address) -13750 SE 132nd Ave,
New Well Deepening Alteration (repair/recondition) X Abandonment	Clackamas, OR
(3) DRILL METHOD:	(10) STATIC WATER LEVEL:  258 ft. below land surface. Date 10/25/2005
X Rotary Air Rotary Mud Cable Auger Other	Artesian pressure lb. per square inch. Date
(4) PROPOSED USE:	(11) WATER BEARING ZONES:  Depth at which water was first found N/A
□ Domestic     □ Community     □ Industrial     X Irrigation       □ Thermal     □ Injection     □ Livestock     □ Other	From To Estimated Flow Rate SWL
(5) BORE HOLE CONSTRUCTION:	
Special Construction approval X Yes No Depth of Completed Wellft.	
Explosives used Yes XNo Type Amount  HOLE SEAL Amount	(12) WELL LOG:
Diameter From To Material From To sacks or pounds  Cement & 404	Ground elevation
Bentonite 0 102 Sacks	Material From To SWL
	This is an abandonment only. Unable to pull or perforate 6" liner.
How was seal placed: Method A B C D E	Skyles Drilling, Inc. 1169 Molalla Ave.
XOther Pumped at bottom  Backfill placed fromft. toft. Material	Oregon City, OR 97045 (503) 656-2683
Gravel placed from ft. to ft. Size of gravel  (6) CASING/LINER:	(555) 555-2555
Diameter From To Gauge Steel Plastic Welded Threaded Casing: 8	
Drive Shoe used Inside Outside None Final location of shoe(s)	RECEIVED
(7) PERFORATIONS/SCREENS:	TIEULIVED
X Perforations Method Air rotary   □ Screens Type Material	NOV 2 3 2005
From To size Number Diameter size Casing Liner  1 79 1/8x1 1600   X	WATER RESOURCES DEPT SALEM, OREGON
	Date started 10/22/2005 Completed 10/28/2005
(8) WELL TESTS: Minimum testing time is 1 hour	(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my
Pump Bailer Air Flowing Artesian	knowledge and belief. WWC Number, 1601
Yield gal/min Drawdown Drill stem at Time	Signed Date 10/31/2005  Skyles/Drilling, Inc.
Temperature of Water Depth Artesian Flow found Was a water analysis done? Yes By whom Did any strata contain water not suitable for intended use? Too little Salty Muddy Odor Colored Other Depth of strata:	(bonded) Water Well Constructor Certification:  I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.  Signed Law C. Bland Date 10/31/05  Skyles Drilling. Inc.



eV

Water Resources Department

North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1266 503-986-0900 FAX 503-986-0904

October 27, 2005

SKYLES DRILLING STEVEN C BLAND #1592 1169 MOLALLA AVENUE OREGON CITY OR 97045

#### FINAL ORDER

### Dear Steve:

The Special Standard request you submitted for owner: Canby Excavating Inc., Start Card number 181910 is hereby approved for the following: You may abandon the six inch liner in this well in place because of your inability to perforate it. The upper eight inch casing shall be thoroughly ripped, perforated or pulled prior to abandonment. All other abandonment standards must be adhered to. See Oregon Administrative Rule (OAR) 690-220-0060. Your Special Standard request form is enclosed. This Special Standard was verbally approved on October 24, 2005.

The Well Construction Standards serve to protect ground water resources. By approving and issuing this special construction standard the Oregon Water Resources Department is not representing that a well constructed in accordance with this condition will maintain structural integrity or that it meets engineering standards. The well constructor/or landowner is responsible for ensuring that a well is constructed in a manner that protects ground water resources as required under Oregon Administrative Rules 690-200 through 690-240.

If you have any questions concerning this letter, please contact me at (503) 986-0851, or by e-mail at Kristopher.R.Byrd@wrd.state.or.us.

Sincerely,

Kristopher Byrd

Well Construction Program Coordinator

**Enforcement Section** 

enclosure

cc: Joel Jeffery, NW Region Well Inspector

File

\*

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.