## **CLAC 62870**

State of Oregon WATER WELL REPORT (as required by ORS 537.765)

Page 1 of 1

State Well ID L68340 Start Card # 173973

	T
(1) OWNER: Well No. L68340	(9) LOCATION OF WELL by legal description:
Name EDWARD & CORINE GOSSE	County CLACK Lat. ° ' " Long. ° ' "
Address 17610 S FIELDSTONE LANE	Township 2 S Range 4 E WM.
City OREGON CITY St OR Zip 97045	Section 7 NW 1/4 SW 1/4
<del></del>	Tax Lot 304 Lot Block Subdivision
(2) TYPE OF WORK: NEW WELL	Street Address of Well (or nearest Address)
	28310 SE FOLSOM ROAD EAGLE CREEK, OR 97022
(3) DRILL METHOD: ROTARY AIR	
	(10) STATIC WATER LEVEL:
(4) PROPOSED USE: IRRIGATION	192 ft. below land surface. Date 09/14/06
·	Artesian pressure lb per square in. Date
(5) BORE HOLE CONSTRUCTION:	
Special Construction Approval NO Depth of Compl. Well 340	ft (11) WATER BEARING ZONES:
Explosives used NO Type Amount	•
HOLE SEAL	From To Est Flow Rate SWL
Diam. From To Material From To Amount	30 110 30 GPM 16
	300 340 50 GPM 192
14 U 48 BENTONITE U 16 45 SACKS 10 48 200 CEMENT 16 200 175 SACKS	
9.5 200 340	<del></del>
7.5 200 340 <u> </u>	
Seal placement method C&SET PLUG&PUSH	
	Ground elevation
Backfill: from ft to ft Material Gravel: from 100 ft to 340 ft Size 6-9 SAND	· !
Gravel: from 100 ft to 340 ft Size 6-9 SAND	1
//> CARTING // INFR.	i
(6) CASING/LINER:	LIGHTLY CEMENTED GRAVEL & BOULDERS 2 40 16
Diam. From To Gauge Material Connection	BLUE CLAY 40 60
Casing 8 +1 200 .250 STEEL WELDED	SANDY BLUE CLAY 60 70
	BLUE CLAY 70 80
	GRAY CLAY 80 190
	BLUE CLAY & WOOD 190 260
Liner 5" 0 300 .250 STEEL WELDED	BLUE CLAY 260 270
	BLUE GRAY CLAY 270 290
Final Location of shoe(s) 200' 7 1/2" TUBEX	BLUE CLAY & WOOD 290 300
	FINE SAND & SMALL GRAVEL MIXED 300 340 192
(7) PERFORATIONS/SCREENS:	SET 48 FEET STARTER PIPE; PULLED OUT
[_] Perf. Method	WHILE GROUTING.
[X] Screens Type JOHNSONS Material STAINLESS STEE	<u> </u>
Slot Tele/pipe	
From To Size Number Diam. Size Casing/liner	
300 340 .10 6 TELE LINER	
	Date started 09/10/06
<del></del>	
<del>_</del>	(unbonded) Water Well Constructor Certification: I certify that
<del></del>	the work I performed on the construction, alteration, or aband-
	— onment of this well is in compliance with Oregon water supply
(8) WELL TESTS: Minimum testing time is 1 hour	•
· · · · · · · · · · · · · · · · · · ·	well construction standards. Materials used and information
Test type PUMP	reported above are true to my best knowledge and belief.
Draw- Drill stem Yield GPM down at Time	WWC Number
	Signed Date
50 30 1 hr.	
40 45 <u> </u>	(bonded) Water Well Constructor Certification: I accept respon-
30 76 3 hr.	sibility for the construction, alteration, or abandonment work
	performed on this well during the construction dates reported
	above. All work performed during this time is in compliance
Temperature of water 49F Depth Artesian Flow Found	with Oregon water supply well construction standards. This
Was water analysis done? NO By whom	report is true to the best of my knowledge and belief.
Reason for water not suitable for use	WWC Number 616
Depth of strata RECEIVED	Signed (Lall) (Lullam) Date 10/07/06
TLULIVED	

ORIGINAL & FIRST COPY - WATER RESOURCES DEPTARTMENT 2006 SECOND COPY - CONSTRUCTOR THIRD COPY - CUSTOMER

9809C 10/91