The original and first cost E WATER WE of this report are to be	LL REPORT			**************************************
filed with the APR 4 - 1972 STATE OF	· //	-2/6	1-2	9al
STATE ENGINEER, SALEM, OREGON 97310 ENGINEER ase type within 30 days from the date ATE ENGINEER ase type	pe or print)	i		.,
of well completion. SALEM ONE Donot write	above this line) 6366	1107-11	***************************************	****************
(1) OWNER:				
	(10) LOCATION OF WELL:			
	County CLACKAMAS Driller's well number /93			
Address KT 3 BOX 712_ — C-RESHAM ORFOON	NW 4NE 4 Section 29 T. 2S R. 4E W.M.			
(2) TYPE OF WORK/ (check):	Bearing and distance from section or subdivision corner			
New Well Deepening Reconditioning Abandon				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	- I			
Rotary Driven Domestic D Industrial D Manie	Depth at which water was first found	05		/ ft.
Dug G Borod G Turington D But VV V	20. Delow land	surface.	Date 5	<i> 28 7</i> 2
	Artesian pressure lbs. per squa	are inch.	Date /	•
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well			
8 "Diam from 0 ft. to 116 ft. Gage .250"	di wen below casing			
	Depth drilled 124 ft. Depth of completed well 16 ft.			
	Formation: Describe color, texture, grain size and structure of materials;			
	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in			
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate pri	ncipal wa	ter-beari	ng strata.
Type of perforator used MILLS KNIFE	MATERIAL,	From	то	swL
Size of perforations /4 in. by 2 in.	TOP SOIL	0	,	
120 perforations from 105 ft. to 116 ft.	RED CLAY	 	11	
perforations fromft. toft.	CLAY GRAVEL AND	1-7-	7-1	
perforations from ft. to ft.	SMALL BOULDERS	44	100	
(7) SCREENS: Well screen installed? The World War	LOOSE GRAVEL	104	11/2	215
Wen serech histaired; [] Tes [] No	BROWN CLAY	116	118	<u></u>
Manufacturer's Name	FINE BROWN SAND	118	124	
Type Model No.	. 1.75 		·	
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.	2. 9-			
Siot size Set from ft. to ft.				
(8) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? Yes No If yes, by whom?				
Yield: 30 gal./min. with 6 ft. drawdown after 24 hrs.				
" " " " " " " " " " " " " " " " " " " "		 		
" "				
Bailer test 30 gal./min. with 5 ft. drawdown after hrs.		├ ──┼		
Artesian flow g.p.m.				
Depth artesian flow encountered ft.	West 12/10 72	2/		
	Work started 3/18 19/2 Complete	<u>ed</u> 7/2	28	19/2_
(9) CONSTRUCTION:	Date well drilling machine moved off of well	3/2	9	1972
Well seal—Material used	Drilling Machine Operator's Certification:	1		
Well sealed from land surface toft.	This well was constructed under my	direct	superv	ision.
Diameter of well bore to bottom of sealin.	Materials used and information reported best knowledge and belief.	above a	re true	to my
Diameter of well bore below seal	ISigned OCKIII.	Date 3/	29	72
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)	Date 🗐	<u> </u>	19./
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No		329	
Brand name of bentonite	Water Well Contract of the			
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:			
of waterlbs./100 gals.	This well was drilled under my jurisdi- true to the best of my knowledge and beli	ction and	l this re	port is
Was a drive shoe used? Yes No Plugs Size; location ft.	Name KELLER WELL J RILLING			
Did any strata contain unusable water? Yes \(\subseteq No	(Person, firm or corporation)	AIVG (Typ	e or print	*)
Type of water? SANDY depth of strata 1/8' 76 /24'	Address 5365 S.E. HILLW000		WAUK	
Method of sealing strata off CEMENT PLUG	CD YND	7	······································	3.5 Touri
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	[Signed] (Water Well Contra	Land		
Gravel placed from ft. to ft.	Contractor's License No. 162 Date	~ Z/2a	,	73
(USE ADDITIONAL SHI		7-	,	19./.
Communication and the second s	······································	•	-	15050 440