

NOTICE TO WATER CONTRACTOR
The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

NC 637 - RECEIVED
WATER WELL REPORT
STATE OF OREGON JUL 1 0 1974
(Please type or print) STATE ENGINEER
SALEM, OREGON

State Well No. 2S/4E-29dd
State Permit No.

CLAC
06379

(1) OWNER:

Name S.E. HOTTENSTEIN
Address RT 1 Box 39E
EAGLE OREGON

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

6" Diam. from 0 ft. to 94 ft. Gage 250"
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No.

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?
Yield: 6 gal./min. with 30 ft. drawdown after 2 hrs.
" " " " "
" " " " "
Bailer test 6 gal./min. with 30 ft. drawdown after 1 hrs.
Artesian flow g.p.m.

(9) CONSTRUCTION:

Well seal—Material used BENTONITE
Well sealed from land surface to 24 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 0 sacks
Number of sacks of bentonite used in well seal 4 sacks
Brand name of bentonite NATIONAL
Number of pounds of bentonite per 100 gallons of water H-B MASH lbs./100 gals.
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County CLACKAMAS Driller's well number 301
SE 1/4 SE 1/4 Section 29 T. 2S R. 4E W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 93 ft.
Static level 59 ft. below land surface. Date 6/24/74
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled 97 ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
TOP SOIL	0	1	
RED CLAY	1	6	
BROWN CLAY	6	30	
SOFT SANDY BROWN CLAY	30	67	
LOOSE GRAVEL	67	69	
CEMENTED GRAVEL	69	79	
LOOSE GRAVEL	79	94	59
BLUE CLAY	94	97	

Work started 6/18 19 74 Completed 6/24 19 74
Date well drilling machine moved off of well 6/24 19 74

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] OKell Date 6/24, 19 74
(Drilling Machine Operator)

Drilling Machine Operator's License No. 329

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name KELER Well Drilling Co.
(Person, firm or corporation) (Type or print)

Address 5365 S.E. Hillwood MILWAUKIE

[Signed] OKell
(Water Well Contractor)

Contractor's License No. 462 Date 6/24, 19 74