NOTICE TO WATER WELL CONTRACTOR The original and first copy (Please type or print) NGINEE Well No. 2/4-29 J(2)
(Do not write above this line) of this report are to be filed with the STATE ENGINEER, SALEM, OREGON 9731 within 30 days from the date of well completion. G-4256 (1) OWNER: (11) LOCATION OF WELL: Name Virgil Nelson Clackamas Driller's well number Address Route 1, Box 237, Eagle Creek, Ore. 97022 SE % Section 29 T. 2S W.M. Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening [] Reconditioning | Abandon [1] If abandonment, describe material and procedure in Item 12. (3) TYPE OF WELL: (4) PROPOSED USE (check): (12) WELL LOG: Rotary Driven [Diameter of well below casing Domestice Industrial | Municipal | Jetted 🛚 164 ft. Depth of completed well Depth drilled Bored [Irrigation Test Well Other Dug Formation: Describe color, texture, grain size and structure of materials; CASING INSTALLED: and show thickness and nature of each stratum and aquifer penetrated, CASING INSTALLED: Threaded Welded X

6 " Diam. from Oft. to 165 ft. Gage 0.250 with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates. " Diam. from _____ ft. to _____ ft. Gage ____ MATERIAL From " Diam. from _____ ft. to____ ft. Gage ____ Clay, red 0 13 PERFORATIONS: Clay, sandy brown 13 58 Perforated? W Yes I No. Gravel, cemented 58 Type of perforator used Mills Knife 59 Clay, brown, sandy 59 75 Size of perforations 75 Gravel, cemented 106 60 perforations from 90 ft. to Sand, brown, coarse 106 110 88 perforations from 135 ft. to 162 ft. Sand and gravel 128 110 perforations from _____ ft. to _____ ft. Gravel. cemented 128 138 perforations from ft. to Sand and gravel, loose 138 1/12 perforations from _____ ft. to _____ ft. 155 Gravel, cemented 1/12 Gravel, loose 155 162 (7) SCREENS: Well screen installed? [] Yes 🔞 No Clay, brown 162 161 Manufacturer's Name Model No. Diam. Slot size Set from ft. to Diam. Slot size Set from ft. to..... (8) WATER LEVEL: Completed well. 65 ft. below land surface Datall-11-67 esian pressure lbs, per square inch Date Drawdown is amount water level is lowered below static level (9) WELL TESTS: Was a pump test made? M Yes 🗆 No If yes, by whom Steinman Bros Work started Oct. 19 19 67 Completed Nov. 13 60 gal./min. with 35 ft. drawdown after 2 hrs. 1967 Date well drilling machine moved off of well " **Drilling Machine Operator's Certification:** This well was constructed under my direct supervision. Materials used and information reported above are true to my best gal./min. with ___ ft. drawdown after Bailer test knowledge and belief. g.p.m. Date Jack Wus Date Nov. 20, 1967. Temperature of water 51. O Was a chemical analysis made? ☐ Yes 🕷 No (10) CONSTRUCTION: Drilling Machine Operator's License No. 67 Well seal-Material used Bentonite and puddled clay Depth of seal Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is Diameter of well bore to bottom of seal true to the best of my knowledge and belief. Were any loose strata cemented off? Yes X No Depth NAME Steinman Bros.
(Person, firm or corporation) (Type or print) Was a drive shoe used? ▼ Yes □ No Did any strata contain unusable water?

Yes

No Address 15112 S.E. McLoughlin, Milwaukie, Ore. Type of water? depth of strata Method of sealing strata off Water Well Contractor) Size of gravel: Was well gravel packed? [] Yes No Gravel placed from ______ft. to ____ Contractor's License No. .. I Date Nov. 20 1967

(USE ADDITIONAL SHEETS IF NECESSARY)