WATER WELL REPORT STATE OF OREGON

CLAC \

RECEIVED

AUG3 11983

State Well No.

25/4E-30

WATER RESOURCES DEPUTE Permit No. SALEN, OREGON

Recordationing

(1) OWNER: Eagle Creek School	(10) LOCATION OF WELL:
Name Estacada School District #108	County Clackamas Driller's well number 51-68/83
Address P. O. Box 519/350 N. E. 7th	4 4 Section 30 T. 2-S R. 4-E W.M.
City Estacada, Oregon 97023 State	Tax Lot # Lot Blk Subdivision
(2) TYPE OF WORK (check):	Address at well location: Off Hwy 211/Eagle Creek-Sandy Hwy
New Well □ Deepening □ Reconditioning M Abandon □	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.
	Static level ft. below land surface. Date
Rotary Air Driven Domestic Industrial Municipal Rotary Mud Dug Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date
■ Bored □ Thermal: Withdrawal □ Reinjection □	(12) WELL LOG: Diameter of well below casing
(5) CASING INSTALLED: Steel Plastic	Depth drilled ft. Depth of completed well ft.
Threaded \square Welded \square	Formation: Describe color, texture, grain size and structure of materials; and show
	thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level
	and indicate principal water-bearing strata.
LINER INSTALLED:	MATERIAL From To SWL
7" Diam. from 227 ft. to 239 ft. Gauge •188	Six-inch liner was removed and replaced with
(6) PERFORATIONS: Perforated? ☐ Yes ℤ No	an eight-inch telescoping well screen with an
Type of perforator used	8" Tel LCS Fig K Johnson Packer.
Size of perforations in. by in.	
perforations from ft. to ft.	
perforations from	
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? Z Yes \square No	
Manufacturer's Name Johnson Watermark Well Screen	
Type Stainless Steel Model No. 304 SS	
Diam. 8" Tel Slot Size 15 Set from 239 ft. to . 244 ft.	
Diam. 8th Tel Slot Size 20 Set from 244 ft. to 254 ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
a pump test made? Yes No If yes, by whom?	
Id: gal/min. with ft. drawdown after hrs.	
Air test gal./min. with drill stem at ft. hrs.	
Bailer test gal./min. with ft, drawdown after hrs.	
esian flow g.p.m.	
nperature of water Depth artesian flow encountered ft.	777 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
(9) CONSTRUCTION: Special standards: Yes \(\text{No} \(\text{No} \)	Work started August 3, 19 83 Completed August 8, 19 83 Date well drilling machine moved off of well August 9, 19 83
Well seal—Material used Section 12	
Well sealed from land surface to	Drilling Machine Operator's Certification:
Diameter of well bore to bottom of sealin.	This well was constructed under my direct supervision. Materials used and information reported aboye for fine to my best knowledge and belief.
Diameter of well bore below sealin.	[Signed] Very Walter We Consider D. \$ 00 \$7
Number of sacks of cement used in well sealsacks	Ronald F. McConnell Janice J. McConnell, helper Drilling Machine Operator's License No. 398
How was cement grout placed?	Dritting Machine Operator's License No398
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Water Well Contractor's Certification:
W	This well was drilled under my jurisdiction and this report is true to
Was pump installed?	the best of my knowledge and belief. Name Steinman Bros. Drilling Co.
Was a drive shoe used? □ Yes □ No Plugs Size: location ft. Did any strata contain unusable water? □ Yes □ No	(Person, firm or corporation) (Type or print)
Type of Water? depth of strata	Address 3923 S. E. Holly Avenue, Milw., Oregon
Method of sealing strata off	[Signed] Verilt Me Cornell
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	Ronald F. McConnell (Water Well Contractor)
Gravel placed from	Contractor's License No