he original and first copyring and five time of this report are to be filed with the

WATER WELL REPORT STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

(Please type or print)
(Do not write above this line)

State Well No.

State Permit No

(Children Co.	CATCHER STATE STAT
OWNER:	(10) LOCATION OF WELL:
West Line School Fouriet	County Driller's well number
Address Administration and Clan	Lacration T. R. 42-79 W.M.
2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
Vew Well, ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	
f abandonment, describe material and procedure in Item 12.	
3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well:
Potery [7] Driven [7]	Depth at which water was first found ft. Static level ft. below land surface. Date
Domestic Industrial Municipal Domestic Industrial Municipal Irrigation Test Well Other	Static level ft. below land surface, Date Artesian pressure lbs. per square inch. Date 7-29-7.
(5) CASING INSTALLED: Threaded Welded Welded tt. Gage 3550	(12) WELL LOG: Diameter of well below casing
" Diam. from ft. to ft. Gage	Depth drilled ft. Depth of completed well ft.
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated.
(6) PERFORATIONS: Perforated? Yes No.	with at least one entry for each change of formation, Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	
perforations from	ropsoil à boulders : Des sals lieu
perforations from ft. to ft.	Grey a brown lava, soft-& 15. 300 and
perforations from ft. to ft.	hard layers 300 360
(7) SCREENS: Well screen installed? Yes No	black lava 300 360 Groy & brown lava 360 533 L
**************************************	Black lava, porous & 533 540 333
Model No.	creavesed
Diam Slot size Set from ft. to ft.	
Dlam Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is	
ioweted below static level	
Was a pump festimade? Yes No If yes, by whom?	OCT 1 9 2010
Yield: 70 gal./min. with ft. drawdown after o hrs.	0011449
<u>"- 25</u> " - 137 " "	WATER DESCRIPTION OF THE
<i>n n n</i>	ON EN OPEGON
Bailer test gal./min. with ft. drawdown after hrs.	ONLEW VIEW REAL PROPERTY OF THE PROPERTY OF TH
Artesian flow g.p.m.	1.0 (c. 17.24) (c. 17.
Temperature of water Depth artesian flow encountered ft.	Work started 19 Completed 19
(9) CONSTRUCTION:	Date well drilling machine moved off of well 7-18-75 19
Well seal—Material used Convent & Contonito	Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below sealin.	[Signed] Date 7-22-79 19
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No.
Number of sacks of bentonite used in well seal sacks	Diffing Machine Operator's Dicense No
Brand name of bentonite	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons of waterlbs./100 gals.	This well was drilled under my jurisdiction and this report is
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	true to the best of my knowledge and belief.
iny strata contain unusable water? Yes No	Name (Person, firm or corporation)(1) DUT P(Type or print)
Type of water? depth of strata	
Method of sealing strata off	Address 1169 Molalla Avenue, Oregon City
Was well gravel packed? Yes No Size of gravel:	[Signed] (Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No