**CLAC 71009** 

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

Westerberg Drilling, Inc. Label# L 1
36728 S. Kropf Rd. START CARD # 2
Molalia, OR 97038 ORIGINAL LOG # CL

L	115232		
	211268		
	CLACKAMAS	2556	

(1) LAND OWNER Owner Well I.D.		
First Name Devin Cooper Last Name	(9) LOCATION OF WELL (legal description)	
Company Barlow Ponds	County CLACKAMAS Twp 5 S N/S Range 1 E E/W WM	
Address 25571 S. Barlow Rd	Sec 18 SW 1/4 of the NE 1/4 Tax Lot 600	
City Canby State OR Zip 97013		
(2) TYPE OF WORK New Well Deepening Conversion	Lat ° ' " or DMS or DD	
Alteration (complete 2a & 10) Abandonment(complete 5a)	Long ' ' or DMS or DD	
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address	
Casing: 8 X 0 426 uk • • •		
Material From To Amt sacks/lbs	S.Schneider Rd approx 100' E of Barlow on N side of Schneider	
Seal:		
(3) DRILL METHOD	(10) STATIC WATER LEVEL	
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft)  Existing Well / Pre-Alteration	
Reverse Rotary Other	Completed Well	
(A) PROPOSED LIGHT D	Flowing Artesian? X Dry Hole?	
(4) PROPOSED USE Domestic XIrrigation Community		
Industrial/Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first found	
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)	
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy		
Depth of Completed Well ft.		
BORE HOLE SEAL sacks/		
Dia From To Material From To Amt lbs		
15 0 20 Cement 0 20 58 S		
Calculated 14		
Calculated	(11) WELL LOG Ground Elevation	
How was seal placed: Method A B XC D E	Ground Elevation	
Other	Material From To  8" casing was old, thin & had a hole in it @ approx	
Backfill placed from ft. to ft. Material	7 ft.	
Filter pack from ft. to ft. Material Size	Over-drilled new 10" casing to 23.5' then	
	over-drilled 10" with 15" tool & grouted 58	
Explosives used: Yes Type Amount Amount	sacks of cement from 0-20'	
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	Installed water tight 10" well seal	
Proposed Amount Pounds Actual Amount Pounds	0. 01.100556.0.01.100555	
(6) CASING/LINER	See Clack02556 & Clack02555	
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd		
● 10 X 1.5 23.5 .250 ● X	RECEIVED BY OWRD	
	FEB 1 7 2015	
Shoe Inside Outside Other Location of shoe(s)		
	CALLAGO	
Temp casing Yes Dia From To	SALEM, OR	
(7) PERFORATIONS/SCREENS		
Perforations Method NONE		
Screens Type Material Perf/S Casing/ Screen Scm/slot Slot # of Tele/	Date Started 01-22-2015 Completed 01-28-2015	
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/ creen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification  1 certify that the work I performed on the construction, deepening, alteration, or	
	abandonment of this well is in compliance with Oregon water supply well	
	construction standards. Materials used and information reported above are true to	
	the best of my knowledge and belief.	
	License Number 1358 Date 02-13-2015	
(8) WELL TESTS: Minimum testing time is 1 hour	Signed June Julian (bonded) Water Well Constructor Certification	
Pump Bailer Air Flowing Artesian		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)		
8.3	I accept responsibility for the construction, deepening, alteration, or abandonment	
145 58 2	work performed on this well during the construction dates reported above. All work	
	performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.	
Temperature 55 °F Lab analysis Yes By		
Water quality concerns? Yes (describe below) TDS amount  From To Description Amount Units	Signed Licen 11. Stadle-	
From To Description Amount Units	Signed Storn 11. Stadle	
	Contact Info (optional)	
	Contact into (optional)	