CLAC	72024
AMENDED	Page 1 of 3 WELL I.D. LABEL# L 120593
STATE OF OREGON	
WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)	
	2/16/2016 ORIGINAL LOG # CLACKAMAS 4414
(1) LAND OWNER Owner Well I.D. G-2024 First Name Last Name	
Company CITY OF GLADSTONE	(9) LOCATION OF WELL (legal description)
Address 525 PORTLAND AVE	County CLACKAMAS Twp 2.00 S N/S Range 2.00 E E/W WM
City GLADSTONE State OR Zip 97027	Sec 30 NW 1/4 of the NE 1/4 Tax Lot 500
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot
Alteration (complete 2a & 10) Abandonment(complete	Lat DIVIS OF DD
(2a) PRE-ALTERATION	Long ' ' or DMS or DD
Dia+FromToGaugeStiPlstcWidThrdCasing:100567 \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc	DAHL PARK RD, GLADSTONE, OR 97267
Material From To Amt sacks/bs	DAILE FARK RD, BEADSTONE, OK 97207
Seal:	
(3) DRILL METHOD	(10) STATIC WATER LEVEL
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft)
Reverse Rotary X Other AIR-KNIFE	Existing Well / Pre-Alteration
(4) PROPOSED USE Domestic X Irrigation Community	Flowing Artesian? Dry Hole?
Industrial/ Commercial Livestock Dewatering	
Thermal Injection Other	WATER BEARING ZONES Depth water was first found
	SWL Date From To Est Flow SWL(psi) + SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard X (Attac	ch copy)
Depth of Completed Well ft.	
BORE HOLE SEAL Dia From To Material From To Amt	sacks/
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	IDS S
Calculated 17.24	
Bentonite Chips 12.8 13.8 6	
Calculated 3.16	
How was seal placed: Method A B C D E Other	Material From To portland cement 0 12.8
Backfill placed from ft. to ft. Material	bentonite chips 12.8 13.8
Filter pack from ft. to ft. Material Size	
Explosives used: Yes Type Amount	
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	
Proposed Amount Actual Amount	
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld	1 Thrd
	9:48 am, Feb 24, 2016
Shoe Inside Outside Other Location of shoe(s)	
Temp casing Yes Dia From To	
7) PERFORATIONS/SCREENS	
Perforations Method	
Screens Type Material	Tele/ Date Started2/4/2016 Completed 2/5/2016
Perf/ Casing/Screen Scrn/slot Slot # of T Screen Liner Dia From To width length slots pip	
	I certify that the work I performed on the construction, deepening, alteration, or
	This report was originally e-filed to the Department;
	the original e-filed document is attached.
	License Number Date
(8) WELL TESTS: Minimum testing time is 1 hour	Signed
Pump 💿 Bailer 🔿 Air 🔿 Flowing Artesi	ian
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 60 1 3	(bonded) Water Well Constructor Certification
60 1 3	I accept responsibility for the construction, deepening, alteration, or abandonment
	work performed on this well during the construction dates reported above. All wor performed during this time is in compliance with Oregon water supply we
Temperature 54 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.
	License Number 1537 Date 2/16/2016
Water quality concerns? Yes (describe below) TDS amount From To Description Amount Un	
	Signed SCOTT FLAHERTY (E-filed)
	Contact Info (optional) Scott Flaherty 503.807.8611

ORIGINAL - WATER RESOURCES DEPARTMENT THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version:

CLAC 72024

WATER SUPPLY WELL REPORT -

continuation page

Dia + Fr	rom To	Gauge Stl Plstc Wld Thrd
Material	From	m To Amt sacks/lbs

(5) BORE HOLE CONSTRUCTION

B	ORE HOI	LE		SEAL			sacks
Dia	From	То	Material	From	То	Amt	lbs
							1
			-	Cal	culated		
				Cal	culated		
				Ca	lculated		
				Ca	lculated		

FILTER PACK

Size Material From То

(6) CASING/LINER

Casing Liner	Dia	+	From	То	Gauge	Stl	Plstc	Wld	Thrd

(7) PERFORATIONS/SCREENS

Casing/ Liner	From	То	Scrn/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr

START CARD # 1029502 ORIGINAL LOG # CLACKAMAS 4414

2/16/2016

Water Quality Concerns

From	То	Description	Amount	Units
				_

(10) STATIC WATER LEVEL

SWL Date	From	То	Est Flow	SWL(psi)	+ SWL(ft)
	-				
			1		

(11) WELL LOG

Material	From	То
		-
*		
		_
e entre e entre		
		_
		-
10 - 20 - 10 - 10 - 10 - 10 - 10 - 10 -		
		_
		_

Comments/Remarks

Created a 5" annular space and sealed with 33 sacks of Portland Cement from surface to 12.8 and bentonite chips from 12.8 to 13.8. Variance for short seal. Pre-alteration information from well log CLAC_04414.

 $x \in A$

Page 2 of 3

WELL I.D. LABEL# I	120593
START CARD #	102050

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

CLAC 72024

2/16/2016

Map of Hole

