STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537 765 & OAR 690-205-0210)

CLAC 72230

WELL I.D. LABEL# L
116199

START CARD # 1030736

ORIGINAL LOG #

(as required by ORS 537.765 & OAR 690-205-0210)	6/8/2016	ORIGINAL LOG#	1030730	
(1) LAND OWNER Owner Well I.D.			. <u> </u>	
First Name TONY Last Name DENTEL	(9) LOC	ATION OF WELL (legal de	escription)	
Company PORTLAND GENERAL ELECTRIC		County CLACKAMAS Twp 5.00 S N/S Range 8.00 E E/W WM		
Address 121 SAW SALMON ST		SE 1/4 of the SE 1		
City PORTLAND State OR Zip 97402  (2) TYPE OF WORK New Well Deepening Conversion				
(2) TYPE OF WORK Deepening Conversion	Lat	mber ' " or	DMS or DD	
Alteration (complete 2a & 10) X Abandonment(complete 2a) PRE-ALTERATION	tete 5a) Long	or	DMS or DD	
Dia + From To Gauge Stl Plstc Wld Thrd	•	Street address of well Near	rest address	
Casing:	NORTH AF	RM TIMOTHY LAKE CAMPGRO	UND NO ADDRESS	
Material From To Amt sacks/lbs	AVAILABI	<u></u>		
Seal: (3) DRILL METHOD	(10) STA	TIC WATER LEVEL		
Rotary Air Rotary Mud Cable Auger Cable Mud	(10) 5111	Date	SWL(psi) + SWL(ft)	
Reverse Rotary Other	Existing	Existing Well / Pre-Alteration		
	Comple	ted Well		
(4) PROPOSED USE Domestic Irrigation Community		Flowing Artesian?	Dry Hole?	
Industrial/ Commericial Livestock Dewatering	WATER BEA	ARING ZONES Depth wat	ter was first found	
Thermal Injection Other	SWL Date	From To Est I	Flow SWL(psi) + SWL(ft)	
(5) BORE HOLE CONSTRUCTION Special Standard (Attack	ch copy)			
Depth of Completed Well ft.				
BORE HOLE SEAL	sacks/			
Dia         From         To         Material         From         To         Amt           6         0         163.5         Cement w/3% Bentonit         0         163.5         6110	lbs			
Calculated	<u> </u>			
	(11) WEI			
Calculated	<b>」</b>	(11) WELL LOG Ground Elevation		
How was seal placed: Method A B XC D E	I	Material	From To	
Other		perforated casing   0   131     pumped full w/ cement   131   163.5		
Backfill placed from ft. to ft. Material	pumped rum	w/ cement	131 163.5	
Filter pack from ft. toft. MaterialSize				
Explosives used: Yes Type Amount				
(5a) ABANDONMENT USING UNHYDRATED BENTONITE				
Proposed Amount Actual Amount				
(6) CASING/LINER				
Casing Liner Dia + From To Gauge Stl Plstc Wld	Thrd			
Shoe Inside Outside Other Location of shoe(s)	_			
Temp casing Yes Dia From To				
(7) PERFORATIONS/SCREENS	<del></del>			
Perforations Method push down perforator				
Screens Type Material	Date Start	ed <u>5/27/2016</u> Comp	oleted <u>5/30/2016</u>	
	Tele/ pe size (unbonded)	Water Well Constructor Certific	cation	
Perf         Casing         6         0         131         .25         1.5         3144	I certify that	t the work I performed on the cor	nstruction, deepening, alteration, or	
			with Oregon water supply well	
			formation reported above are true to	
		ny knowledge and belief.	to	
(O) YERY I BECOM 25 A A A A	License ivui	mber Dat		
(8) WELL TESTS: Minimum testing time is 1 hour	Signed			
Pump Bailer Air Flowing Artesi				
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	¬ l` ′	ater Well Constructor Certification		
			epening, alteration, or abandonmen ction dates reported above. All work	
	performed of	luring this time is in compliance	e with Oregon water supply wel	
Temperature °F Lab analysis Yes By		standards. This report is true to the		
Water quality concerns? Yes (describe below) TDS amount		License Number 1771 Date 6/8/2016		
From To Description Amount Un	its			
		EORGE YOUNGBERG (E-filed)	11 1 1111 1 500 500 0050	
	Contact Info	(optional) Youngberg pump & wel	11 drilling ph. 503-630-3970	