NOTICE TO WATER WELL CONTRACTOR

Gravel placed from

ft. to

The original and first cor of this report are to be CEIV filed with the STATE ENGINEER, SALEM, OREGON 7550 - 8 1970

TE OF OREGON

7-34cbc

within 30 days from the STATE ENGINEER write above this line) SALEM. OREGON (10) LOCATION OF WELL: (1) OWNER: Name Strebin - Nottinghom Inc. Driller's well number County Clackanas P. C. Box 8 Rhododendron. Oregon Address 1/4 / Section 34 T. 2-5 R. 7-8 Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Reconditioning [Abandon | New Well 🔯 Deepening [If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Rotary Driven | Domestic | Industrial | Municipal | Static level ft. below land surface. Date Cable Jetted | Irrigation

Test Well
Other Bored | Dug Artesian pressure lbs, per square inch. Date ASING INSTALLED: ASING INSTALLED: Threaded □ Welded ♥

" Diam. from 0 ft. to 83 ft. Gage #

" Diam. from 0 ft. to 1/3 ft. Gage # (12) WELL LOG: Diameter of well below casing6.. Depth drilled 150 ft. Depth of completed well 150 Formation: Describe color, texture, grain size and structure of materials: and show thickness and nature of each stratum and aquifer penetrated. with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. /ERFORATIONS: Perforated? 🗆 Yes 🙀 No. Type of perforator used From Glacier sand and grapel 0 30 in. by Size of perforations Solid rock or boulder 30 80 perforations from Glacier sand and grave perforations from 80 Solid rock 83 95 perforations from Pink clacier rock 95 110 (7) SCREENS: Well screen installed?

Yes Brown broken rock 150 Manufacturer's Name Diam. Slot size Set from ft. to Diam. Slot size Set from <u>Cement between six and eight casing al</u> Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made?

Yes No If yes, by whom? gal./min. with ft. drawdown after gal./min. with 80 ft. drawdown after Doiler test Artesian flow g.p.m. Depth artesian flow encountered ft. Work started 10-28-70 19 perature of water Completed 1/-28-70Date well drilling machine moved off of well (9) CONSTRUCTION: Drilling Machine Operator's Certification: Well seal-Material used Certent.... This well was constructed under my direct supervision. Well sealed from land surface to _______ft_ Materials used and information reported above are true to my best knowledge and belief. Diameter of well bore to bottom of seal1.2.......... in. (Drilling Machine Operator) Number of sacks of cement used in well seal _____________________________sacks Drilling Machine Operator's License No. ...254..... Number of sacks of bentonite used in well seal Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report islbs./100 gals. true to the best of my knowledge and belief. Name Ralph Jurner Brilling Co. (Type or print) Was a drive shoe used? Yes Plugs Size: location ft. Did any strata contain unusable water?

Yes

No Type of water? depth of strata Method of sealing strata off Was well gravel packed? ☐ Yes 🌠 No Size of gravel: Contractor's License No. 247 Date 12-5-70 19