

STATE OF OREGON WATER SUPPLY WELL REPORT

CLAC 77145

WELL I.D. LABEL# L 145963 START CARD # 1055107 ORIGINAL LOG #

4/7/2022

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

(1) LAND OWNER

Owner Well I.D. 01 First Name FELICE Last Name DUBOIS Company Address 2386 WASHINGTON ALLEY City EUGENE State OR Zip 97405

(2) TYPE OF WORK

New Well Deepening Conversion Alteration (complete 2a & 10) Abandonment (complete 5a)

(2a) PRE-ALTERATION

Casing: Dia + From To Gauge Stl Plstc Wld Thrld Seal: Material From To Amt sacks/lbs

(3) DRILL METHOD

Rotary Air Rotary Mud Cable Auger Cable Mud Reverse Rotary Other MITSUBISHI

(4) PROPOSED USE

Domestic Irrigation Community Industrial/ Commercial Livestock Dewatering Thermal Injection Other

(5) BORE HOLE CONSTRUCTION

Depth of Completed Well 361.00 ft. Special Standard (Attach copy)

Table with columns: Dia, From, To, Material, From, To, Amt, sacks/lbs. Rows include Bentonite and Cement with 5% Bento.

How was seal placed: Method A B C D E

Backfill placed from ft. to ft. Material

Filter pack from ft. to ft. Material Size

Explosives used: Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount Actual Amount

(6) CASING/LINER

Table with columns: Casing, Liner, Dia, From, To, Gauge, Stl, Plstc, Wld, Thrld. Includes shoe location and temp casing info.

(7) PERFORATIONS/SCREENS

Perforations Method Air Perforator

Table with columns: Perf, Casing, Screen, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tele/pipe size.

(8) WELL TESTS: Minimum testing time is 1 hour

Pump Bailer Air Flowing Artesian

Table with columns: Yield gal/min, Drawdown, Drill stem/Pump depth, Duration (hr). Rows show test results.

Temperature 58 F Lab analysis Yes By SDI, Iron 0.75 ppm

Water quality concerns? Yes (describe below) TDS amount 78.5 ppm

Table with columns: From, To, Description, Amount, Units. Shows TDS test results.

(9) LOCATION OF WELL (legal description)

County CLACKAMAS Twp 3.00 S N/S Range 2.00 E E/W WM Sec 30 SE 1/4 of the SE 1/4 Tax Lot 2909

Street address of well Nearest address

12799 S CARUS RD, OREGON CITY, OREGON

(10) STATIC WATER LEVEL

Table with columns: Date, SWL(psi), SWL(ft). Rows for Existing Well / Pre-Alteration and Completed Well.

WATER BEARING ZONES

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), SWL(ft). Shows water bearing zones data.

(11) WELL LOG

Ground Elevation 324.00

Table with columns: Material, From, To. Lists well log materials and depths.

Date Started 3/24/2022 Completed 4/6/2022

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number 1715 Date 4/6/2022

Signed RUSSELL KENNER (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 2006 Date 4/7/2022

Signed CHRISTEN BLAND (E-filed)

Contact Info (optional) SKYLES WELL DRILLING 503-656-2683

WATER SUPPLY WELL REPORT - continuation page

CLAC 77145

WELL I.D. LABEL# L 145963

START CARD # 1055107

4/7/2022

ORIGINAL LOG #

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
					⊙ ⊙ ⊙ ⊙	⊙ ⊙ ⊙ ⊙		
		Material	From	To	Amt	sacks/lbs		

Water Quality Concerns

From	To	Description	Amount	Units

(5) BORE HOLE CONSTRUCTION

BORE HOLE				SEAL			
Dia	From	To	Material	From	To	Amt	sacks/lbs
						Calculated	
						Calculated	
						Calculated	
						Calculated	

FILTER PACK

From	To	Material	Size

(6) CASING/LINER

Casing Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
⊙ ⊙ ⊙ ⊙ ⊙ ⊙ ⊙ ⊙ ⊙ ⊙ ⊙ ⊙						⊙ ⊙ ⊙ ⊙ ⊙ ⊙ ⊙ ⊙	⊙ ⊙ ⊙ ⊙		

(7) PERFORATIONS/SCREENS

Perf/ Screen	Casing/ Liner Dia	Screen Dia	From	To	Scr/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

(10) STATIC WATER LEVEL

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)

(11) WELL LOG

Material	From	To
Clay, gray	135	178
Clay, bluish-gray stiff	178	200
Clay, multi-grays gritty	200	207
Clay, bluish-gray	207	225
Clay, bluish-gray sandy	225	233
Clay, gray	233	249
Clay,gray sandy &sand,gray packed & wood	249	254
Sand & gravels lightly cemented	254	261
Sand, gray cemented	261	267
Clay, gray sandy	267	270
Clay, blue	270	273
Clay, gray & blue	273	281
Clay, gray	281	288
Clay, blue stiff	288	293
Clay, gray	293	301
Clay, bluish-gray	301	309
Clay, gray w/wood	309	311
Clay, gray & blue	311	314
Clay, gray gritty	314	315
Sand, multicolored cemented	315	319
Clay, gray	319	326
Clay, blue	326	336
Clay, gray	336	344
Clay, gray sandy	344	348
Sand, multicolored lightly cemented	348	354
Claystone & sandstone, mc broken w/ seams of sand, multicolored	354	360
Clay, gray	360	361

Comments/Remarks

Sand free @ 300' 80 gpm
Recommend pump setting no deeper than 300'

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

CLAC 77145

4/7/2022

Map of Hole

