STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.545 & 537.765 and LAND, OWNER)

CLAC 78002

Page 1 of 3

WELL I.D. LABEL# L

146325

START CARD #

ORIGINAL LOG #

CLACKAMAS | 50087

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)	6/8/2023	ORIGINAL LOG#	CLACKAMAS 50087	
(1) LAND OWNER Owner Well LD 01				
First Name JIM Last Name BASTASCH	(9) LOCATI	ON OF WELL (legal o	description)	
Company EAGLE CREEK GOLF COURSE			V/S Range 3.00 E E/W WM	
Address 25805 SE DOWTY RD City EAGLE CREEK State OR Zip 97022	Sec <u>1</u> S	E 1/4 of the SE	1/4 Tax Lot 100	
City EAGLE CREEK State OR Zip 97022 (2) TYPE OF WORK New Well Deepening Conversion	Tax Map Numbe	er" or <u>45.3339444</u>	Lot	
Alteration (complete 2a & 10) Abandonment(complete	e 5a) Lat	" or <u>45.3339444</u>	0 DMS or DD	
(2a) PRE-ALTERATION	Long	" or _122.37380	820 DMS or DD	
Dia + From To Gauge Stl Plstc Wld Thrd	~	eet address of well Ne		
Casing: 6 X 3 297 .250 Image: A contract the cont	NEAR 25805 SI	E DOWTY RD, EAGLE CRE	EEK, OR 9/022	
Seal: Cement 0 39 31 Sacks				
(3) DRILL METHOD	(10) STATIO	C WATER LEVEL		
Rotary Air Rotary Mud Cable Auger Cable Mud	Evicting Wo	Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration 5/17/2023 145		
Reverse Rotary Other	Completed V	Well 5/24/2023		
(4) PROPOSED USE Domestic X Irrigation Community	_	Flowing Artesian?	Dry Hole?	
Industrial/ Commercial Livestock Dewatering	WATER BEARIN	_	rater was first found	
Thermal Injection Other	SWL Date	=	at Flow SWL(psi) + SWL(ft)	
(5) BORE HOLE CONSTRUCTION Special Standard (Attach	aony)	1 1 1	[] [] [] [] [] [] [] [] [] []	
Depth of Completed Well 305.00 ft.	Сору)			
	acks/			
Dia From To Material From To Amt	lbs			
6 0 305 Calculated				
Calculated				
Calculated	—— (11) WELL I	Ground Elevation	on 365.00	
How was seal placed: Method A B C D E		Material	From To	
Other	Well Clean-Out	Only	0 305	
Backfill placed from ft. to ft. Material				
Filter pack from ft. to ft. Material Size				
Explosives used: Yes Type Amount				
(5a) ABANDONMENT USING UNHYDRATED BENTONITE				
Proposed Amount Actual Amount				
(6) CASING/LINER				
Casing Liner Dia + From To Gauge Stl Plstc Wld	I'hrd			
	H I			
Shoe Inside Outside Other Location of shoe(s)	_			
Temp casing Yes Dia From + To	_			
(7) PERFORATIONS/SCREENS	_			
Perforations Method				
Screens Type Material Perf/ Casing/ Screen Scrn/slot Slot # of Te	Date Started 5	<u>/17/2023</u> Com	npleted <u>5/24/2023</u>	
· · · · · · · · · · · · · · · · · · ·	size (unbonded) Wa	nter Well Constructor Certif		
			onstruction, deepening, alteration, or	
			ce with Oregon water supply well nformation reported above are true to	
		nowledge and belief.	information reported above are true to	
	License Number	: 2003 D	Date 6/8/2023	
(8) WELL TESTS: Minimum testing time is 1 hour	-			
Pump Bailer () Air Flowing Artesia	n Signed JAIM	E MUNOZ JR (E-filed)		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water	Well Constructor Certifica	tion	
15 302 1			deepening, alteration, or abandonment	
			uction dates reported above. All work	
SDL Iron 2 Oppm			ce with Oregon water supply well he best of my knowledge and belief.	
Temperature 58 °F Lab analysis Yes By SDI, Iron 2.0 ppm		_		
Water quality concerns? Yes (describe below) TDS amount 105 pp From To Description Amount Unit		2006 D	Date 6/8/2023	
		STEN BLAND (E-filed)		
	Contact Info (op	tional) SKYLES WELL DRI	LLING 503-656-2683	
ODIGINAL WILTER PROCESS	CEC DEDARTMENT			

(8) WELL TESTS: Minimum testing time is 1 hour

Drawdown

Drill stem/Pump depth

Duration (hr)

Yield gal/min

CLAC 78002

WELL I.D. LABEL# L 146325

START CARD # 1061217

ORIGINAL LOG # CLACKAMAS 50087

continuation page	6/8/2023	ORIGINAL LOG # CLA		,
(2a) PRE-ALTERATION	Water Quality (20007	
Dia + From To Gauge Stl Plstc Wld Thrd	From To	Description	Amount	Units
	10	Description		
Material From To Amt sacks/lbs				
	(40) 977 477 977			
5) BORE HOLE CONSTRUCTION		VATER LEVEL	arr ()	
DODE HOLE CEAL	SWL Date F	from To Est Flow	SWL(psi) +	SWL(ft)
Dia From To Material From To Amt			+	
Calculated				
Calculated			 	
Calculated			+	
Calculated				
Calculated			 	
FILTER PACK From To Material Size	(11) WELL LO	G		
	N	Material	From	To
6) CASING/LINER	_		_	
	4			
Casing Liner Dia + From To Gauge Stl Plstc Wld Tl	nra			
	_			
			-	
			-	
7) PERFORATIONS/SCREENS				
Perf/ Casing/Screen Scrn/slot Slot # of	Γele/			
	pe size			
			+	
			+	
	Comments/Ren	marks		

Scoped well with camera. Hit obstruction at 236', possible boulder that rolled in during original construction. Casing below obstructon might be broken. Broken, undocumented, screen at 281' to bottom. Started at 7gpm. Used mudbuster, well now producing 15gpm. Installed Well ID tag.

CLAC 78002

6/8/2023

Map of Hole

STATE OF OREGON WELL LOCATION MAP

Latitude: 45.33394440

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



Well Label: 146325 LOCATION OF WELL

Printed: June 8, 2023

Longitude: -122.37380820 Township/Range/Section/Quarter-Quarter Section: WM3.00S3.00E1SESE

Address of Well:

Datum: WGS84

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

