

amended 7/9/2024

WESTERBERG DRILLING INC. PO BOX 1228 MOLALLA, OR 97038

WELL I.D. LABEL# 151667 START CARD # 1073807 ORIGINAL LOG # CLACKAMAS 9601

STATE OF OREGON WATER SUPPLY WELL REPORT

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

(1) LAND OWNER Owner Well I.D. First Name Sean & Molly Last Name Collins Company Address 3945 SE Franklin Street City Portland State OR Zip 97202

(2) TYPE OF WORK [] New Well [X] Deepening [] Conversion [X] Alteration (complete 2a & 10) [] Abandonment (complete 5a)

(2a) PRE-ALTERATION Dia From To Gauge Stl Plstc Wld Thrld Casing: 6 [X] 1 75 250 [X] [] [] [] Material From To Amt sacks/lbs Seal: Cement 0 18 6 Sacks

(3) DRILL METHOD [] Rotary Air [] Rotary Mud [X] Cable [] Auger [] Cable Mud [] Reverse Rotary [] Other

(4) PROPOSED USE [X] Domestic [X] Irrigation [] Community [] Industrial/ Commercial [] Livestock [] Dewatering [] Thermal [] Injection [] Other

(5) BORE HOLE CONSTRUCTION Special Standard [] (Attach copy) Depth of Completed Well 108 ft.

Table with columns: Dia, From, To, Material, SEAL, From, To, Amt, sacks/lbs. Rows include Cement and Bentonite.

How was seal placed: Method [] A [] B [X] C [] D [] E [X] Other Bentonite Placed Dry & Hydrated Backfill placed from 108 ft. to 111 ft. Material Silica Sand Filter pack from 24 ft. to 108 ft. Material CSS Size 8/12 Seal Placement Begin Date 2024-06-07 Begin Time 11 15

(5a) ABANDONMENT USING UNHYDRATED BENTONITE Proposed Amount Pounds Actual Amount Pounds

(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrld Shoe [] Inside [X] Outside [] Other Location of shoe(s) 76 Temp casing [] Yes Dia From + To

(7) PERFORATIONS/SCREENS Perforations Method Screens Type V-Wire Material Stainless Steel Perf/S Casing/Screen Dia From To Scm/slot Slot # of Tele/ green Liner Dia From To width length slots pipe size

(8) WELL TESTS: Minimum testing time is 1 hour [X] Pump [] Bailer [] Air [] Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) Temperature 56 °F Lab analysis [] Yes By Water quality concerns? [] Yes (describe below) TDS amount 170 ppm

(9) LOCATION OF WELL (legal description) County CLACKAMAS Twp 3 S N/S Range 1 E E/W WM Sec 25 NE 1/4 of the NW 1/4 Tax Lot 502 Tax Map Number Lot Lat Long [X] Street address of well [] Nearest address 22151 S. Central Point Rd., Canby, OR 97013

(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration 05-28-2024 24.4 Completed Well 06-14-2024 24.4 Flowing Artesian? [] Dry Hole? []

WATER BEARING ZONES Depth water was first found 74 SWL Date From To Est Flow SWL(psi) + SWL(ft) 05-28-2024 74 105 70 24.42 06-12-2024 74 105 70 24.42

(11) WELL LOG Ground Elevation Material From To Existing Well 0 75 Sand Black w/some Gravel & Lenses of Silt & Clay 75 Grey 105 Clay Grey 105 111

Construction Begin Date 05-28-2024 Begin Time 11 20 End Date 06-14-2024

(unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. License Number Date

(bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. License Number 688 Date 06-18-2024 Signed [Signature]

Step 1: Search for Well

Step 2: Create Well Map

Mark Well Point and Create Map:

Zoom in closer to the well location, if needed.
Mark the location of the well by either of these two methods:

A. Drawing on the map using the draw tool

Click on Icon and draw a point on the map

B. Type in the GPS Decimal Degrees:

GPS Latitude: 45.2861

GPS Longitude: -122.63501

Mark Point Clear Point

[Converter](#)

Results:

Latitude: 45.2861 Longitude:-122.63501

Complete the form:

Submitted by: Steven N Stadel

Address of Well: 22151 S. Central Point Rd.

City: Canby, OR 97013

Special Notes: L-151667

Make Map



Received
JUN 24 2024
OWRD