STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

CLAC 78748
7/23/2024

WELL I.D. LABEL# L 139610
START CARD # 1073253
ORIGINAL LOG #

(1) LAND OWNER

Owner Well I.D.
First Name AL Last Name KASWETER
Company
Address 20974 S SPRINGWATER RD
City ESTACADA State OR Zip 97023

(2) TYPE OF WORK

[X] New Well [ ] Deepening [ ] Conversion
[ ] Alteration (complete 2a & 10) [ ] Abandonment(complete 5a)

(2a) PRE-ALTERATION

	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
Casing:						◯	◯		

	Material	From	To	Amt	sacks/lbs
Seal:					

(3) DRILL METHOD

[ ] Rotary Air [ ] Rotary Mud [X] Cable [ ] Auger [ ] Cable Mud
[ ] Reverse Rotary [ ] Other

(4) PROPOSED USE

[X] Domestic [ ] Irrigation [ ] Community
[ ] Industrial/ Commericial [ ] Livestock [ ] Dewatering
[ ] Thermal [ ] Injection [ ] Other

(5) BORE HOLE CONSTRUCTION

Special Standard [ ] (Attach copy)
Depth of Completed Well 97.00 ft.

BORE HOLE Dia	From	To	SEAL Material	From	To	Amt	sacks/lbs
10	0	75	Bentonite Chips	0	23	18	S
6	75	97			Calculated	18	
			Cement	23	75	20	S
					Calculated	15	

Seal placement method [ ] A [ ] B [X] C [ ] D [ ] E [X] Other: POURED AND PROBED
Backfill placed from ft. to ft. Material
Filter pack from ft. to ft. Material Size
Explosives used: [ ] Type Amount
Seal Placement Begin Date 4/26/2024 Begin Time 13 00

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount Actual Amount

(6) CASING/LINER

C/L	Dia	+	From	To	Gauge	Mat. Type	Wld	Thrd	Shoe	Shoe Location
C			2	88	.250	ST	X		OUT.	88

Temp casing [X] Yes Dia 10 From + [X] 2 To 22

(7) PERFORATIONS/SCREENS

Perforations Method skil saw
Screens Type Material

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ Pipe size
Perf	Liner	4	77	97	.125	8	40	

(8) WELL TESTS: Minimum testing time is 1 hour

Type of Test	Yield (gal/min)	Drawdown	Drill Stem/ Pump Depth	Duration (hr)
Bailer	20	10		1

Temperature 56 °F Lab analysis [ ] Yes By
Water quality concerns? [ ] Yes (describe below) TDS amount 92 mg/L

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County CLACKAMAS Twp 3.00 S N/S Range 3.00 E E/W WM
Sec 13 SW 1/4 of the SE 1/4 Tax Lot 4407
Tax Map Number Lot
Lat ° ' " or 45.30346129 DMS or DD
Long ° ' " or -122.38232769 DMS or DD
(•) Street address of well ( ) Nearest address
20974 S SPRINGWATER RD, ESTACADA, OR 97023

(10) STATIC WATER LEVEL

	Date	SWL(psi)	+	SWL(ft)
Existing Well / Pre-Alteration				
Completed Well	4/30/2024			35

Flowing Artesian? [ ] Dry Hole? [ ]

WATER BEARING ZONES Depth water was first found 94.00

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)
4/30/2024	94	97				35

(11) WELL LOG

Ground Elevation

Material	From	To
soil brown	0	1
clay brown	1	19
cobbles and gravel with brown clay tight	19	24
clay brown	24	57
clay tan brown	57	69
clay brown grey gritty	69	94
gravel small to medium WB	94	97

Construction Begin Date 4/9/2024 Begin Time 08 50 End Date 4/30/2024

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number Date

Signed

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 792 Date 7/23/2024

Signed RICK WALLAERT (E-filed)
Drilling Company: rick wallaert

WATER SUPPLY WELL REPORT - continuation page

CLAC 78748

7/23/2024

WELL I.D. LABEL# L 139610
START CARD # 1073253
ORIGINAL LOG #

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

Material	From	To	Amt	sacks/lbs

(5) BORE HOLE CONSTRUCTION

BORE HOLE Dia	From	To	SEAL Material	From	To	Amt	sacks/lbs
					Calculated		
					Calculated		
					Calculated		
					Calculated		

FILTER PACK

From	To	Material	Size

(6) CASING/LINER

C/L	Dia	+	From	To	Gauge	Mat. Type	Wld	Thrd	Shoe	Shoe Location

(7) PERFORATIONS/SCREENS

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ Pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Type of Test	Yield (gal/min)	Drawdown	Drill Stem/ Pump Depth	Duration (hr)

Water Quality Concerns

From	To	Description	Amount	Units

(10) STATIC WATER LEVEL

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)

(11) WELL LOG

Material	From	To

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

CLAC 78748

7/23/2024

Map of Hole

STATE OF OREGON
WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department
725 Summer St NE, Salem OR 97301
(503)986-0900

LOCATION OF WELL

Latitude: 45.30346129 Datum: WGS84
Longitude: -122.38232769
Township/Range/Section/Quarter-Quarter Section:
WM3.00S3.00E13SWSE
Address of Well:
20974 S SPRINGWATER RD, ESTACADA, OR 97023

Well Label: 139610

Printed: July 23, 2024

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor