STATE OF OREGON	CLAC 78818 WELL I.D. LABEL# L 72775
WATER SUPPLY WELL REPORT	START CARD # 1075042
(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)	9/13/2024 ORIGINAL LOG # CLACKAMAS 61345
LAND OWNER Owner Well I.D.	
rst Name DAN Last Name BRANSON	(9) LOCATION OF WELL (legal description)
ompany KNIFE RIVER CORPORATION	County CLACKAMAS Twp 2.00 S N/S Range 6.00 E E/W WM
ddress 12222 NW MARINA WAY	Sec <u>24</u> <u>SE</u> <u>1/4 of the NE</u> <u>1/4</u> Tax Lot <u>100</u>
Ity PORTLAND State OR Zip 97208 TYPE OF WORK New Well Deepening Conv	
TYPE OF WORK New Well Deepening Conv Alteration (complete 2a & 10) Abandonment(cc	Lat ° ' " or 45.38405000 DMS or DD
PRE-ALTERATION	Long ' ' or122.00633900 DMS or DD
Dia + From To Gauge Stl Plstc Wld Th	
Casing: 8 × 2 198 0.250 × (62858 E BOULDER CREEK LANE, BRIGHTWOOD, OR
MaterialFromToAmtsacks/lbsSeal:Bentonite04730Sacks	
DRILL METHOD	(10) STATIC WATER LEVEL
King Rotary Mud Cable Auger Cable Mud	Date $SWL(psi)$ + $SWL(ft)$
Reverse Rotary Other	Existing Well / Pre-Alteration 8/22/2024 220
	Completed Well
PROPOSED USE Domestic Irrigation Community	
Industrial/ Commericial Livestock Dewatering	WATER BEARING ZONES Depth water was first found
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)
	Attach copy)
Depth of Completed Well ft.	
BORE HOLE SEAL Dia From To Material From To	sacks/
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	
Calculated	
	(11) WELL LOG Ground Elevation 1623 57 ET
Calculated	
Seal placement method A B C D E Other: POURED BH	NTONITE Material From To
Backfill placed from ft. to ft. Material	
Filter pack from ft. to ft. Material Size	
Explosives used: Type Amount Seal Placement Begin Date 9/6/2024 Begin Time 19	
ABANDONMENT USING UNHYDRATED BENTONI Proposed Amount Actual Amount	
1	
CASING/LINER Mat.	Shoe
C/L Dia + From To Gauge Type Wld Thrd Sho	Location
C 8 X 5 5 0.250 ST X	
╺┥┟───┤┝╉───┼───┤┝─┥┝┥┝┥┝╸	
╺┥┟──┤┝╉──┼──┼──┤┝┥┝┥┝┥┝	
╺┥┟──┤┝╉──┼──┼──┤┝┥┝┥┝┥┝╸	
$\operatorname{Femp \ casing} \overline{\mathbf{X}} \operatorname{Yes} \operatorname{Dia}_{\underline{12}} \operatorname{From}_{\underline{+}} \overline{\mathbf{X}}_{\underline{2}} \operatorname{To}_{\underline{7}}$	
PERFORATIONS/SCREENS	
Perforations Method	Construction
Screens Type Material Perf/ Casing/ Screen Scrn/slot \$\$ slot \$\$ of	Begin Date 8/23/2024 Begin Time 15 20 End Date 9/6/2024
Screen Liner Dia From To width length slots	Pipe size (unbonded) Water Well Constructor Certification
	I certify that the work I performed on the construction, deepening, alteration, o
	abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
	License Number 2003 Date 9/9/2024
WELL TESTS: Minimum testing time is 1 hour	
	Signed JAIME MUNOZ JR (E-filed)
Yield Drill Stem/ Dura Type of Test (gal/min) Drawdown Pump Depth (h	
Type of Test (gal/min) Drawdown Pump Depth (h	I accept responsibility for the construction, deepening, alteration, or abandonme
	work performed on this well during the construction dates reported above. All work
	performed during this time is in compliance with Oregon water supply we
	construction standards. This report is true to the best of my knowledge and belief.
Temperature 55 °F Lab analysis Yes By SDI, trace iron	
Temperature 55 °F Lab analysis Yes By SDI, trace iron Water quality concerns? Yes (describe below) TDS amount 30	License Number 2006 Date 9/10/2024
	ppm Units License Number 2006 Date 9/10/2024
	License Number 2006 Date 9/10/2024

ORIGINAL - WATER RESOURCES DEPARTMENT THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: New exempt use wells must be submitted with a map and recording fee.

WATER SUPPLY WELL REPORT -

continuation page

CLAC 78818

 WELL I.D. LABEL# L
 72775

 START CARD #
 1075042

 ORIGINAL LOG #
 clackamas
 61345

continuation page	9/13	/2024		ORIGIN	AL LOG #	CLACKAMAS	61345	5
a) PRE-ALTERATION		Water Q						
Dia + From To Gauge Stl Plstc Wld Thrd		From	То	I	Description	A	mount	Units
Material From To Amt sacks/lbs								
	·	(10) STA	TIC W	ATER LEV	VEL			
) BORE HOLE CONSTRUCTION		SWL Dat	te Fro	om To	Est F	Flow SWL(psi) +	SWL(ft
BORE HOLE CONSTRUCTION SEAL	1 /							
Dia From To Material From To Amt	sacks/ t lbs							
Calculated								
Calculated								
Calculated								
Calculated		(11) WE						
FILTER PACK			Ma	terial		From	n	То
From To Material Size								
) CASING/LINER								
Mat.	Shoe							
C/L Dia + From To Gauge Type Wid Thrd Shoe I	Location							
╺┥┟───┤┝╂───┼───┤┝╾┥┝┥┝┥╎──┼								
┥┟──┤┝╉──┼──┼┝─┤┝┥┝┥┝─┼								
┥┝──┤┝╂──┼──┤┝─┥┝┥┝┥┝─┝								
) PERFORATIONS/SCREENS								
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/							
	Pipe size							
			erson(s) wh Assistant	to assisted wit	h constructio		e Licens	e # / Help #
				Name SNICKLE	WATER	Туре	I	# 1998
				STRENDL	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
8) WELL TESTS: Minimum testing time is 1 hour	—							
Yield Drill Stem/ Duration		Comme	nts/Rem	arks			1	
Type of Test (gal/min) Drawdown Pump Depth (hr)	,	Active gra	de change	s around the w			set tem	porary
		casing so	the area co	uld be backfil	ed around th	e well.		-
	+ I	Casing lef	t 5' above	current grade	ncase of futu	ire changes.		
	1 I			•				

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow **CLAC 78818**

9/13/2024

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

LOCATION OF WELL Latitude: 45.38405000 Datum: WGS84 Longitude: -122.00633900 Township/Range/Section/Quarter-Quarter Section: WM2.00S6.00E24SENE Address of Well: 62858 E BOULDER CREEK LANE, BRIGHTWOOD, OR

Oregon Water Resources Department 725 Summer St NE, Salem OR 97301 (503)986-0900

Well Label: 72775

OREGON

Printed: September 10, 2024

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

