

STATE OF OREGON WATER SUPPLY WELL REPORT

CLAC 79382

WELL I.D. LABEL# L

158602

START CARD #

1078710

8/25/2025

ORIGINAL LOG #

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

(1) LAND OWNER

Owner Well I.D.

First Name DENNIS Last Name ROOD
Company RESURRECTION CATHOLIC PARISH
Address 21060 SW STAFFORD RD, TUALATIN
City TUALATIN State OR Zip 97062

(2) TYPE OF WORK

New Well Deepening Conversion
Alteration (complete 2a & 10) Abandonment(complete 5a)

(2a) PRE-ALTERATION

Casing: Dia + From To Gauge Stl Plstc Wld Thr
Seal: Material From To Amt sacks/lbs

(3) DRILL METHOD

Rotary Air Rotary Mud Cable Auger Cable Mud
Reverse Rotary Other

(4) PROPOSED USE

Domestic Irrigation Community
Industrial/ Commercial Livestock Dewatering
Thermal Injection Other SMALL PUBLIC WATER SYSTI

(5) BORE HOLE CONSTRUCTION

Depth of Completed Well 323.00 ft. Special Standard (Attach copy)

Table with columns: Dia, From, To, Material, From, To, Amt, lbs. Rows include Bentonite and Cement with 5% Bento.

Seal placement method: A B C D E Other: POURED BENTONITE

Backfill placed from ft. to ft. Material

Filter pack from ft. to ft. Material Size

Explosives used: Type Amount

Seal Placement Begin Date 8/7/2025 Begin Time 08 00

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount Actual Amount

(6) CASING/LINER

Table with columns: C/L, Dia, From, To, Gauge, Mat. Type, Wld, Thr, Shoe Location. Rows include C and L casing types.

Temp casing Yes Dia 12 From 1 To 6

(7) PERFORATIONS/SCREENS

Perforations Method

Screens Type Factory Slot Material PVC

Table with columns: Perf/ Screen, Casing/ Liner, Dia, From, To, Scrn/slot width, Slot length, # of slots, Pipe size. Row includes data for a screen at 4.5 inch diameter.

(8) WELL TESTS: Minimum testing time is 1 hour

Table with columns: Type of Test, Yield (gal/min), Drawdown, Drill Stem/ Pump Depth, Duration (hr). Row shows Air test with 50 gal/min yield and 320 ft depth.

Temperature 58 F Lab analysis Yes By SDI, Iron 0.5 ppm

Water quality concerns? Yes (describe below) TDS amount 90 ppm

Table with columns: From, To, Description, Amount, Units

(9) LOCATION OF WELL (legal description)

County CLACKAMAS Twp 2.00 S N/S Range 1.00 E E/W WM

Sec 29 NE 1/4 of the SE 1/4 Tax Lot 1500

Tax Map Number 21E29A Lot

Lat or 45.36702800 DMS or DD

Long or -122.70694400 DMS or DD

Street address of well Nearest address

21060 SW STAFFORD RD, TUALATIN, OR

(10) STATIC WATER LEVEL

Table with columns: Date, SWL(psi), SWL(ft). Rows include Existing Well / Pre-Alteration and Completed Well.

Flowing Artesian? Dry Hole?

WATER BEARING ZONES

Depth water was first found 230.00

SWL Date From To Est Flow SWL(psi) + SWL(ft)

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), + SWL(ft). Row includes data for 8/7/2025.

(11) WELL LOG

Ground Elevation 315.35 FT

Table with columns: Material, From, To. Lists various soil and rock layers like Backfill, gravel & dirt, Clay, brown, Basalt, etc.

Construction

Begin Date 8/4/2025 Begin Time 09 35 End Date 8/11/2025

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number 1884 Date 8/11/2025

Signed JUSTIN MELONUK (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 2006 Date 8/25/2025

Signed CHRISTEN BLAND (E-filed)

Drilling Company: Skyles Drilling Inc 503-656-2683



WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

CLAC 79382

8/25/2025

Map of Hole

