

1083203

ORIGINAL LOG #

New exempt use wells must be submitted with a map and recording fee.

8/21/2026

START CARD #

1083203

ORIGINAL LOG #

CLACKAMAS

18027

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
								
								
								

Material	From	To	Amt	sacks/lbs
----------	------	----	-----	-----------

(5) BORE HOLE CONSTRUCTION

BORE HOLE

SEAL

sacks/
lbs

Dia	From	To	Material	From	To	Amt	Sacks/ lbs
					Calculated		
					Calculated		
					Calculated		
					Calculated		

FILTER PACK

From	To	Material	Size
------	----	----------	------

(6) CASING/LINER

[illegible]

(7) PERFORATIONS/SCREENS

[illegible]

(8) WELL TESTS: Minimum testing time is 1 hour

Type of Test	Yield (gal/min)	Drawdown	Drill Stem/ Pump Depth	Duration (hr)

Water Quality Concerns

[illegible]

(10) STATIC WATER LEVEL

[illegible]

(11) WELL LOG

[illegible]

Name of person(s) who assisted with construction and Trainee License # / Helper #

Assistant Name

Type

#

Comments/Remarks

No well log available. Casing depth determined via magnetic casing probe. Perforated casing, bailed well to bottom @ 84.7' below ground surface, pumped neat cement from bottom to top via method C. No change to SWL after perforating.

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

CLAC 79966

8/21/2026

Map of Hole

