NOTICE TO WATER WELL CONTRACTOR The original and first copy WATER WELL REPORT of this report are to be STATE ENGINEER, SALEM, OREGON 97310 JAN 6 1978 (ease type or print) within 30 days from the date filed with the 1.8575 State Permit No. within 30 days from the date of well completion. WATER RESOURCED Type Phove this line SALEM. OREGON (10) LOCATION OF WELL: (1) OWNER: County Claskanas Willamette Factors Driller's well number Name Wilsonville, Oregon 1/4 Section 25 т. 3≋ W.M. Address Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Reconditioning [ Deepening [ New Well X If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Rotary Driven 🗆 ft, below land surface. Date Domestic | Industrial | Municipal | Static level Jetted 🛚 Cable Irrigation 🗌 Test Well 📜 Other 11-15-77 Artesian pressure 2 Dug Bored | lbs. per square inch. Date CASING INSTALLED: Threaded [ (12) WELL LOG: Diameter of well below casing nt. to 438 \_\_\_ft. Gage • 250 ft. Depth of completed well Depth drilled Formation: Describe color, texture, grain size and structure of materials; ". Diam. from ..... and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? | Yes | No. Type of perforator used MATERIAL 6 9 Organie Size of perforations in, by Brown elay 2 HO ft to perforations from ..... Blue elay 40 ft. to 65 Sand brown perforations from ..... 65 Gravely sand (7) SCREENS: 75 Yellow brown elay 100 Well screen installed? 

Yes 110 Blue elay 100 Manufacturer's Name ..... 110 Brown sand silty Model No. Silty brown elay Diam. Slot size Set from Blue wilt Blue wilty elay Diam. Slot size Set from ft. to 210 Blue silt Drawdown is amount water level is lowered below static level (8) WELL TESTS: Blue shale Hed saale Was a pump test made? 
Yes No H yes, by whom? Brown basalt gal./min. with ft. drawdown after Mask basalt Yield: hrs. Brown basalt Black basalt 490 \*\* Pinkole lava black Mask basalt gal./min. with ft. drawdown after Bailer test hrs. Pinkole lava <del>531</del> 15 Test nump will Artesian flow g.p.m. perature of water 60 Depth artesian flow encountered 11-15 1977 Completed Work started 11 - 161977 Date well drilling machine moved off of well (9) CONSTRUCTION: Drilling Machine Operator's Certification: Well seal-Material used ..... This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to .... best knowledge and belief. Diameter of well bore to bottom of seal 10 [Signed] Signal Machine Operator) Diameter of well bore below seal ... Number of sacks of cement used in well seal .. Drilling Machine Operator's License No. . Number of sacks of bentonite used in well seal \_ Brand name of bentonite ..... Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is ... lbs./100 gals. true to the best of my knowledge and belief. Was a drive shoe used? 🗷 Yes 🗌 No Plugs ...... Size: location ...... ft. Ragene Jordan Name ... (Person, firm or corporation) (Type or print) Did any strata contain unusable water? 🛘 Yes 🔊 No 2126 First Ave-E Camby, Oregon Type of water? depth of strata Method of sealing strata off

Contractor's License No. 607 Date

Well Contractor)

Size of gravel: ....

Was well gravel packed? [ Yes No

---

Gravel placed from .....