NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

## WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

CLAC

State Well No. 35/100-26

08591 State Permit No.

C 372 172 17 18 19	CONTRACTOR OF WEIT		
(1) OWNER:	(10) LOCATION OF WELL:		
Name Chickadec NUTGery	County Clackamas Driller's well number		
Address 24130 S.W. Grahams Ferry Rd.	SW 4 9W4 Section 26 T. 35	R. / W V	<u>v.m.</u>
Address 24130 S.W. Gtahams Ferry Rd.	Bearing and distance from section or subdivision		<del></del>
(2) TYPE OF WORK (check):		· · · · · · · · · · · · · · · · · · ·	<del>चाह्य</del> १
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐		<u></u>	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
	Depth at which water was first found 94 ft.		
(8) 2222		unfoce Date /2 4	20/15
Rotary Driven Domestic Mindustrial Municipal Cable Deficient Domestic Mindustrial Domestic Definition	Static level #7 ft. below land st		2413
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Artesian pressure lbs. per square	inch. Date	
CASING INSTALLED: Threaded \( \begin{aligned} \text{Welded } \\ \begin{aligned} \begin{aligned} \text{Welded } \\ \begin{aligned} \begin{aligned} \text{Threaded} \( \begin{aligned} \text{Welded} \\ \begin{aligned} \text{Threaded} \\ \end{aligned} \\ \end{aligned} \text{Threaded} \( \begin{aligned} \text{Welded} \\ \end{aligned} \\ \end{aligned} \\ \end{aligned} \\ \text{Threaded} \( \begin{aligned} \text{Welded} \\ \end{aligned} \\ aligned	(12) WELL LOG: Diameter of well below casing  Depth drilled /45 ft. Depth of completed well /45 ft.  Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.		
	MATERIAL	From To S	WL
Type of perforations in. by in.	TOPSOIL	0 2	
Size of perforations in. by in.	Brown Clay	2 37	
360 perforations from 127 ft. to 133 ft.	Brown Band	37 39	
perforations fromft. toft.	Brown 311t &Clay	39 74	
perforations fromft, toft,	Bige Clay	1481	
(7) SCREENS: Well screen installed?   Yes ZNo	Brown Clay	8194	
• •	Brown Bilty Sand		17
Manufacturer's Name  TypeModel No.	Brown Band	106 123 H	17_
Diam. Slot size Set from ft. to ft.	Gravel & Band	123 134 4	17
Diam. Slot size Set from ft. to ft.	Brown Sand	134 145	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? ☐ Yes ☐ No If yes, by whom?	DEAFINED.		
2 to the last of t	RECEIVED		
yield: 200 gal./min. with 8.3 ft. drawdown after 6 ms.	18318 828 98		
The second secon	JAN 0 6 1976		
II	WATER RESOURCES DE	PT.	
Bailer test gal./min. with ft. drawdown after hrs.	SALEM, OREGON		
Artesian flow g.p.m.			~~
aperature of water 53 Depth artesian flow encountered ft.	Work started Dec 15 19 75 Complet	<del></del>	19 76
(A) CONCENTION ON	Date well drilling machine moved off of well	1-4	1976
(9) CONSTRUCTION:	Drilling Machine Operator's Certification:	:	
Well seal—Material used Cement  Well sealed from land surface to 35  Diameter of well bore to bottom of seal 13 to in.	This well was constructed under my direct supervision.  Materials used and information reported above are true to my best knowledge and belief.		
Diameter of well bore below seal	[Signed] John W Bladt Date 1-4, 19.76 (Drilling Machine Operator)		
Number of sacks of cement used in well seal	Drilling Machine Operator's License No. #37		
Number of sacks of bentonite used in well seal sacks	· ·		<del></del>
Brand name of bentonite	Water Well Contractor's Certification:		
Number of pounds of bentonite per 100 gallons of water	This well was drilled under my jurisdiction and this report is		
Was a drive shoe used? Yes \( \subseteq No \) Plugs Size: location ft.	Name & Beck Welldvilling  (Person, firm or corporation)  (Type or print)		
Did any strata contain unusable water?   Yes  No	1 4	(Type or print)	/
## th of gtrata	Address \$4/37 9 9Ky 18n	c Ur (an	44.0°
Method of sealing strata off	[Signed] John W Beck		
Was well gravel packed? ☐ Yes No Size of gravel:	(Water Well Con	<u>-</u>	<b>م</b> د
Gravel placed fromft. toft.	Contractor's License No. 4.49 Date	1-4	19.7.4