OSTATE OF OREGO STATE ENGINEER, SALEM, OREGON 97310 (Please type,or print) FEB231977 within 30 days from the date State Permit No. . 086 don't write above this line, RESCURCES CEPT. of well completion. (10) LOCATION OF WELL: (1) OWNER: Driller's well number 7705 Joe Casale County Clackamas Name Rt. 2. Box 60 14 Section 27 T. 35 R. 1W W.M. Address 97002 Aurora, Ore. Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well X Deepening [Reconditioning [If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found Rotary Driven | Domestic 🔲 Industrial 🗎 Municipal 🗇 Static level ft. below land surface. Date Çable Jetted □ Irrigation 🛛 Test Well 🗌 Other Bored [] Artesian pressure Ibs. per square inch. Date CASING INSTALLED: Threaded | Welded X (12) WELL LOG: Diameter of well below casing ft. Depth of completed well 230'7" Depth drilled 235 " Diam. from _____ft. to ____ Formation: Describe color, texture, grain size and structure of materials; _____ ft. to and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? K Yes | No. MATERIAL Type of perforator used cutting torch Size of perforations 3/8 in. by___ See sheet attached perforations from 172'8" ft. to 210' ft. perforations from _____ perforations from _____ (7) SCREENS: Well screen installed? | Yes | No Manufacturer's Name Diam. _____ Slot size ____ Set from ____ ft. to ____ ft. Diam. Slot size Set from ft. to Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made?
Yes No If yes, by whom? gal./min. with ft. drawdown after hrs. See sheet attached gal./min. with ft. drawdown after Bailer test esian flow g.p.m. Work started XXXX 6-1519 74 Completed 1-5 perature of water Depth artesian flow encountered Bee well drilling machine moved off of well pressure grouted zonol (9) CONSTRUCTION: cement & admix Drilling Machine Operator's Certification: Well seal-Material used This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to ______20 best knowledge and belief. Diameter of well bore to bottom of seal [Signed] Mile Sinneid Date 1-28 19 77 Diameter of well bore below seal Number of sacks of cement used in well seal 35

Number of sacks of bentonite used in well seal 18 8k

Brand name of bentonite Zonolite (Drilling Machine Operator) Prilling Machine Operator's License No. 212Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is none true to the best of my knowledge and belief. Was a drive shoe used?

Yes No Plugs Size: location Schneider Equipment, Inc. (Person, firm or corporation) Did any strata contain unusable water? 🗀 Yes 🗓 No Type of water? depth of strata Method of sealing strata off Was well gravel packed? X Yes I No Size of gravel: 3/4 Gravel placed from 20 Contractor's License No. 387 Date 1-28 , 19 77 n to bottom n (USE ADDITIONAL SHEETS IF NECESSARY) SP*45656-119

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be

filed with the

Joe Casale

	Top soil	0	. 7 -
	Clay, brown silty	7	32 =
	Clay, brown silty & crushed rock (1")	32	34
	Clay, brown silty	34	41
	Clay, brown	41	56
	Silt, brown soft	56	61
	Clay, prown	61	74
	Silt, brown soft	74	80
	Clay, brown	80	85
,	Sand, brown coarse	85	106
	Gravel, black (2")	106	_ 107
	Clay, gray	107	109
	Clay, brown	109	
	Clay, brown sandy	115	_
	Gravel & sand, black (4")	122	
	Clay, gray	128	
	Sand & gravel, black(3") Wood 152'	148	
		153	
	Clay, gray Gravel & sand	154	
		158	
	Clay, gray sandy	160	170
	Sand, black	170	
	Clay, brown silty	175	
	Sand, black		
	Clay, brown silty dry	190 192	210
	Sand, black & some gravel		
	Clay, gray	210	235

