## RECEIVED

## WATER WELL REPORT

STATE OF OREGON

SEP 0 4 1981

WATER RESOURCES DEPT SALEM, OREGON CLAC State Well No. 35/W-29CC

P.O. BOX 149

(1) OWNER:	(10) LOCATION OF WELL:
Name Jack Parker	County Clackamas Driller's well number JP-1-8"
Address	SW 4 SW 4 Section 29 T.3S R.1W W.M.
City Oregon City State Or.	Tax Lot # Lot Blk Subdivision
(9) TYPE OF WORK (about).	Address at well location: 16091 Fox Ridge Ranch
(2) TYPE OF WORK (check):	
New Well Deepening □ Reconditioning □ Abandon □  If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 194 ft.
	Static level 62 ft. below land surface. Date 7/31
Rotary Air 💢 Driven 🗆 Domestic 🔀 Industrial 🗆 Municipal 🗆 Rotary Mud 🗆 Dug 🖂 Irrigation 🛱 Test Well 🗆 Other 🖂	Artesian pressure lbs. per square inch. Date
□ Bored □ Thermal: Withdrawal □ Reinjection □	(12) WELL LOG: Diameter of well below casing 8"
(5) CASING INSTALLED: Steel E Plastic	Depth drilled 235 ft. Depth of completed well 235 ft.
8 "Diam from +1 ft to ft Gauge Plastic U Welded E 250	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
LINER INSTALLED: no	MATERIAL From To SWL
	Soil med brn 0 1
(0) DUDION (0)	Clay med brn 1 26
(6) PERFORATIONS: Perforated? ☐ Yes Z No	Clay sandy brn 26 72
Type of perforator used	Gravel med brn. sand
Size of perforations in. by in.	sand fine brn 72 80
perforations from ft. to ft.	Sandstone soft red 80 103
perforations from	Sandstone hrd green 103 110
perforations from ft. to ft.	Sandstone hrd green 10 110
(7) SCREENS: Well screen installed?   Yes  No	
Manufacturer's Name	Basalt med blk   137   157   Basalt hrd gray   157   174
Type Model No.	Basalt hrd blk & green 174 186
Diam. Slot Size Set from ft. to ft.	Basalt weathrd brn & blk186 194
Diam. Slot Size Set from ft. to ft.	Basalt med, brn & blk 194 200
(8) WELL TESTS. Drawdown is amount water level is lowered	Basalt hrd blk 200 205
below static level	Basalt pourus blk & gry 205 219
Was a pump test made? ☐ Yes X☐ No If yes, by whom?	Basalt hrd gray 219 235
gal./min. with ft. drawdown after hrs.	
n	
Air test $100$ gal/min. with drill stem at $235$ ft. $2\frac{1}{3}$ hrs.	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
rature of water Depth artesian flow encounteredft.	Work started 7/28 19 81 Completed 7/31 1981
(9) CONSTRUCTION: Special standards: Yes \( \text{No.} \) \( \text{X} \)	Date well drilling machine moved off of well 7/31 1981
Well seal—Material used Cement Grout	Drilling Machine Operator's Certification:
Well sealed from land surface to 117	This well was constructed under my direct supervision. Materials used
Diameter of well bore to bottom of seal	and information reported above are true to my best knowledge and belief.
Diameter of well bore below sealin	[Signed]
Number of sacks of cement used in well seal	(prilling Machine Operator)
How was cement grout placed? Press.	Drilling Machine Operator's License No1371
	Water Well Contractor's Certification:
, , , , , , , , , , , , , , , , , , ,	This well was drilled under my jurisdiction and this report is true to
Was pump installed? TO	the best of my knowledge and belief.
Was a drive shoe used?	Name West Coast Drilling Co. Inc.  (Person, firm or corporation)  (Type or print)
Did any strata contain unusable water?	Address 220 Academy/St. Mt. Amed Or.
Type of Water? depth of strata	ISIMAN (O)
Method of sealing strata off	[Signed] (Water West Contractor)
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	Contractor's License No. 519 Date 8/1 ,1981
Gravel placed from	
NOTICE TO TAPER WELL CONTRACTOR	WATER RECOURGES DEDARGED TO