CLAWATER WELL REPORT KECEIVED of this report are to be APR 1 8 1974 state Well No. 35/1W-35 filed with the STATE OF OREGON STATE ENGINEER, SALEM, OREGON 97310 (Please type or print) STATE ENGINEED to Permit No. within 30 days from the date 08769 (Do not write above this line) SALEM, OREGON of well completion. (1) OWNER: (10) LOCATION OF WELL: Earl Stroller County Clackamas Name Driller's well number Rt. 2 Box 121 Address т. 35 г. 35 Section 35 1 w Aurora. Oregon Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening [Reconditioning [Abandon 🗀 If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found Rotary Driven 🖂 Domestic | Industrial | Municipal | Static level ft. below land surface. Date 4-12-74 Jetted □ Bored □ Cable Dug Irrigation I Test Well | Other Artesian pressure lbs. per square inch. Date CASING INSTALLED: Threaded [] Welded 1 (12) WELL LOG: Diameter of well below casing ft. to 170 ft. Gage •250 Depth drilled ft. Depth of completed well " Diam. from ft. Gage Formation: Describe color, texture, grain size and structure of materials; ______ft. Gage ______ft. and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? Tyes 🔲 No. Mills Knife Type of perforator used MATERIAL. in. by 31 Size of perforations Top soil 2 180 perforations from 137 ft. to 148 ft. Clay brown perforations from ft. to Sand clay brown fine 27 28 Clay blue perforations from 28 **39** Clay sand blue fine 39 (7) SCREENS: Well screen installed? 🗌 Yes 🛫 No Sand black fine **A1** Manufacturer's Name Sand elay black fire. 61 91 Clay blue 91 110 Diam. Slot size Set from Clay brown 110 125 Diam. Slot size Set from ft. to ft. Clay mand blue black fine 125 130 Sand black fine 130 Drawdown is amount water level is lowered below static level 135 (8) WELL TESTS: Gravel med. 135 150 Was a pump test made? 🕿 Yes 🗌 No If yes, by whom? Sand clay black med. 150 151 Yield: 220 91 ft. drawdown after Sand fine gal./min. with hrs. 151 166 Clay sand blue black fine 166 Bailer test gal./min. with ft. drawdown after Artesian flow g.p.m. aperature of water Depth artesian flow encountered _____ft. Work started 1974 Completed 4-12 4-12 Date well drilling machine moved off of well (9) CONSTRUCTION: **Drilling Machine Operator's Certification:** Well seal-Material used This well was constructed under my direct supervision. Well sealed from land surface to Materials used and information reported above are true to my best knowledge and belief.

[Signer Date 4-12 19.74] Diameter of well bore to bottom of seal . Diameter of well bore below seal Date 4-12 19 74 (Drilling Machine operator) Number of sacks of cement used in well seal ... Drilling Machine Operator's License No. Number of sacks of bentonite used in well seal Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? Z Yes D No Plugs Size: location ft. William D. Christenson Jr. Name Did any strata contain unusable water? 🗋 Yes 🛣 No (Person, firm or corporation) (Type or print) depth of strata Type of water? . Oregon Address Method of sealing strata off Was well gravel packed?

Yes No Size of gravel: 511 Date Gravel placed from _____ ft. to ____ Contractor's License No.

NOTICE TO WATER WELL CONTRACTOR The original and first copy