NOTICE TO WATER WELL CONTRACTOR The original and first copy The CLAC State Well No. 35/1w-3690 WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310 JAN 171979
within 30 days from the date STATE OF OREGON (Please type or print) State Permit No. of well completion TER RESOURCES DEP hot write above this line) SALEM. OREGON (10) LOCATION OF WELL: (1) OWNER: Mrs. Betty Berheim Clackamas Driller's well number Name 216 N.W. 5th Address SE % NE % Section 36 T. 3S R. 1W 97013 Canby, Öre, Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well 🕅 Deepening [Reconditioning [Abandon 🗌 If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Rotary Driven | Domestic Mindustrial Municipal Static level 65 ft. below land surface. Date 1-11-79 Cable Jetted □ Bored □ Dug Irrigation | Test Well | Other Artesian pressure lbs. per square inch. Date CASING INSTALLED: Threaded | Welded | (12) WELL LOG: Diameter of well below casing .. 6 " Diam. from 0 ft. to 132 ft. Gage • 250 Depth drilled 132 ft. Depth of completed well ______ft. to ______ft. Gage _____ Formation: Describe color, texture, grain size and structure of materials; " Diam. from _____ ft. to ____ ft. Gage ____ and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? Tyes TyNo. Type of perforator used MATERIAL. in. by Size of perforations Top soil 47 perforations from ft. to Clay, brown Sand, brown, fine 47 76 perforations from _____ ft. to ____ ft. 76 Clay, brown 93 perforations from _____ ft. to ____ ft. 93 108 Clay, blue (7) SCREENS: Well screen installed? ☐ Yes ☐XNo Sand, black, fine 108 128 Manufacturer's Name Sand. black. med. 128 130 Model No. 130 132 Gravel. med. Diam. Slot size ____ Set from _____ ft. to _____ Diam. Slot size Set from ft. to ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? Kyes I No If yes, by whom? droller 25 gal./min. with 23 ft. drawdown after 1½ hrs. Bailer test gal./min. with ft. drawdown after Artesian flow g.p.m. perature of water Depth artesian flow encountered 1-5 1-11 19 79 19 79 Completed Work started Date well drilling machine moved off of well 1-12 19 79 (9) CONSTRUCTION: Well seal-Material used Cement Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Well sealed from land surface to Materials used and information reported above are true to my best knowledge and belief.

[Signed] Land Lamury Dat Diameter of well bore to bottom of seal Number of sacks of cement used in well seal How was cement grout placed? Cement was pressure Drilling Machine Operator's License No. grouted from 19 ft. to surface. Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? X Yes I No Plugs Size: location ft. B & G Drilling

Size of gravel:

(Person, firm or corporation) Address 10030 S. Macksburg Rd

(Water Well Contractor)

Did any strata contain unusable water? Tes X No

Gravel placed from ft. to ft.

Type of water?

Method of sealing strata off

Was well gravel packed? [Yes M No

(Type or print)

Canby, Ore.