The original and first correction AFTOR THE ATTOR THE ORIGINAL AND THE ATTOR THE ATTOR AFTOR THE ATTOR AFTOR	886 ELL REPORT	2/1	- 11	
state engineer, salem, one for 97410	r OREGON pe or print) above this line) State Permit P	5/1	- 7	<u>a.c.</u>
(1) OWNER:	(11) LOCATION OF WELL: County Clackamas Driller's well m			
Vame John Webber			1 E.	
Address Canby, Oregon	74 74 DECLION OF 1. 5 TO 10. VY 144.			
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision	on corner		
New Well 🕅 Deepening 🗋 Reconditioning 🗍 Abandon 🗌		,		
f abandonment, describe material and procedure in Item 12.			·	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Diamter	10" to	900,f	t. 10
Rotary 🕅 Driven 🗆	(12) WELL LOG: Diameter of well Depth drilled 1000 ft Depth of comp	•		
Cable 🕅 Jetted 🗌 Domestic 🖓 Industrial 🗌 Municipal 🗌	Depth drilled LOOU ft. Depth of comp	leted well	10	00 ft.
(J) CASING INSTALLED: Threaded □ Welded ∰ 10 " Diam. from 0 ft. to 84 ft. Gage •250	Formation: Describe color, texture, grain size and structure of materials and show thickness and nature of each stratum and aquifer penetrated with at least one entry for each change of formation. Report each chang in position of Static Water Level as drilling proceeds. Note drilling rates			
" Diam. from ft. to ft. Gage	MATERIAL	From	То	SWL
" Diam, from ft. to ft. Gage	Top soil			
DEDEOD A BYONG	Hard brown s andy clay	<u> </u>	36	
PERFORATIONS: Perforated? [] Yes [XNo.	Broken brown & gray rock	36		
Type of perforator used	Hard gray rock	74	74 88	
Size of perforations in. by in.	Brn&gray rock with clay laye	ers 88	203	
perforations from ft. to ft.	Brown & gray rock	203	253	
perforations from ft. to ft.	Gray rock	253	278	
perforations from ft. to ft.	Brown & gray rock/clay layer		340	
perforations from ft, to ft.	Soft brown rock Red rock	340	372	
perforations from	Dark brown & red rock	375	375 386	
(7) SCREENS: Well screen installed? 🗆 Yes 🖹 No	Gray rock, hard & soft layers		<u>500</u> Ц36	<u> </u>
Manufacturer's Name	Weathered basalt	436	$\frac{450}{100}$	
Type Model No	Brown rock	444	456	
Diam	Weathered basalt	456	480	
Diam	Broken layers-brn&gray rock	480	540	!
(8) WATER LEVEL: Completed well. 4/28/70	Weathered basalt	540	560	water
tic level 550 655 ft. below land surface Date 1420/66X	Hard Gray basalt	560	567	
Artesian pressure lbs. per square inch Date	Weathered basalt Gray & Brown rock	<u>567</u> 596	<u>    596    </u> 618	
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	Brown Rock	618	639	
Was a month test made? A Yes D No If yes, by whom? Jannson	Black Rock	639	648	
	Work started 9/22/67 19 Comple		7/69	19
300 " 125 " 8 "	Date well drilling machine moved off of well	5/12/69	7	19
	the second of the second se		····	
· · · · · · · · · · · · · · · · · · ·	Drilling Machine Operator's Certification: This well was constructed under my c		ervision	. Mate-
Bailer test gal./min. with ft. drawdown after hrs.	rials used and information reported abo knowledge and belief.	ve are tr	rue to	my bes
Artesian flow g.p.m. Date		n 1	24	<i>,</i>
Temperature of water Was a chemical analysis made? 🗌 Yes 📓 No	[Stephed] Machine Operator)	Bate	·/7	., 19 <i>L</i>
(10) CONSTRUCTION:	f f	23	Б	
Well seal-Material used Cement	Drilling Machine Operator's License No.			****
Depth of seal	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal in.	This well was drilled under my juriso true to the best of my knowledge and bel	liction and	d this r	eport is
Were any loose strata cemented off? 2 Yes D No Depth 728 - 90	A			
Was a drive shoe used? 🖾 Yes 🗆 No	NAME <u>A. M. Jannsen Drillin</u> (Person, firm or corporation)	(Type	or print)	 
Did any strata contain unusable water? 🖸 Yes 💆 No	Address 21075 S. W. Tualatin	Valley	Hwy.	Aloha
Type of water? depth of strata	ET And	)		Ore
Method of sealing strata off	[Signed] Odward U.	lu	ull_	
Was well gravel packed? Ves KNo Size of gravel:	(Water Well pontra Contractor's License No. 79 Det. 6	actor)		1
Gravel placed from ft. to	Contractor's License No. 19 Date	I CILI DY		

NOTICE TO WATER WELL CONTRACTOR				
• The original and first copy of this report are to be <b>RECEIVACE</b>	ELL REPORT	21		,
		. 311	-4	
filed with the STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date TATE ENGINEER of well completion. SALEM. OREGON	type or print)	0	<i>K</i>	
	e above this line)	No		
John Webber SALEM. OREGON				
(1) OWNER:				
	(11) LOCATION OF WELL:			
Name	County Clackamas priller's wel	l number		
Address	1/4 1/4 Section 4 T.	3 S r.	1 E.	<b>W</b> .3
	Bearing and distance from section or subdiv			
(2) TYPE OF WORK (check):	Bearing and distance from sector of subdiv	ISION COTHER		
New Well 📋 🛛 Deepening 🔲 Reconditioning 🔲 Abandon 🗌				
If abandonment, describe material and procedure in Item 12.	·			
(3) TYPE OF WELL: (4) PROPOSED USE (check):				
Rotary Driven	(12) WELL LOG: Diameter of we	ll below cas	ing	
Cable 🗌 Jetted 🗌 Domestic 🗌 Industrial 🗋 Municipal 🗌	Depth drilled ft. Depth of con	npleted well	-	
Bored   Irrigation   Test Well   Other	Formation: Describe color, texture, grain s			
Threaded U Welded	and show thickness and nature of each str			
" Diam. from ft. to ft. Gage	with at least one entry for each change of f			
		proceeds. N	ote drilli	ng rat
		From	To	SWI
	Brown rock	615	667	
PERFORATIONS: Perforated? [] Yes [] No.	Gray rock	667	676	
Type of perforator used	Brown rock - hard -	676	708	
	Brown rock - soft	708	736	
	Gray rock	736	749	
perforations from ft. to ft.	Brown & gray rock	7/19	762	
ft. to ft.	Grav rock	762	786	650
perforations from ft. to ft.	Black innerbed	786	795	
	Green shale	795	796	L
perforations from ft. to ft.	Brown rock	796		Crir
	Hard gray basalt	818	818	655
(7) SCREENS: Well screen installed?  Yes No			820	
Manufacturer's Name	222 Brown & gray rock	820	843	wb
Type Model No	Gray rock	843	877	
Diam Slot size Set from ft. to ft.	Brown & gray rock	877	895	
Diam	Brown rock	895	<u>914</u>	
	<u>Gray &amp; brown rock</u>	914	925	
(3) WATER LEVEL: Completed well.	Black basalt	925	928_	
ft. below land surface Date	Hard black basalt	928	950	
Artesian pressure lbs, per square inch Date	Creviced black basalt	950	980	
	Gray-black basalt/clay	980	995	
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	Hard black basalt	995	1000	
Was a pump test made? Ves No If yes, by whom?				
d: gal./min. with ft. drawdown after hrs.	Work started 19 Comp	leted	, <b>_</b>	19
	Date well drilling machine moved off of well			19
				19
<u>" " " " " " " " " " " " " " " " " " " </u>	Drilling Machine Operator's Certificatio			
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my	direct sup	ervision.	Mat
Artesian flow g.p.m. Date	rials used and information reported al knowledge and belief.	ove are ti	ue to r	ny be
Temperature of water Was a chemical analysis made? 🗌 Yes 🗌 No	[Signed](Drilling Machine Operator)	Date		, 19
(10) CONSTRUCTION:				
Well seal-Material used	Drilling Machine Operator's License No			
Depth of seal ft.	Water Well Contractor's Certification:	•• /-	·	
Diameter of well bore to bottom of seal in.	This well was drilled under my juri true to the best of my knowledge and be	sdiction an	d this r	eport
Were any loose strata cemented off?  Yes No Depth				
Was a drive shoe used? 🗋 Yes 📋 No	(Person, firm or corporation)	(Type	or print)	
Did any strata contain unusable water? 🗌 Yes 🗌 No				
Type of water? depth of strata	Address			
Method of scaling strate off				
	[Signed](Water Well Com			
Was well gravel packed?  Yes No Size of gravel:				
Gravel placed from ft. to	Contractor's License No Date			19

CLAC 8886
WELL IDENTIFICATION FORM Owner's Well Number:
CURRENT WELL OWNER: Phone: $263 - 4574$
Name: Pete's Mountain Water Co. Unc.
Mailing Address: DO Box 418
City: <u>CAN64</u> State: <u>OR</u> Zip: <u>97013-0418</u>
WELL LOCATION: $\alpha q q (\rho)$
County: <u>Clackamas</u> Latitude: Longitude:
Township: 3 Mor S., Range: Ept/W Section: A A A A A A A A A A A A A A A A
Tax Lot Number: $30/$ $5\omega'/4 of NE/4$
Street Address of Well (if different from above): 1277 SW SCHAEHER
Westlinn, Ge 97068

If a well report <u>is</u> available for this well, please attach a copy of it to this form and return. It is not necessary for you to complete the remainder of the form if the well report is attached. If a well report <u>is not</u> available, please complete the remainder of the form to the best of you **RECEIVED** 

## WELL INFORMATION:

SEP 11 1996

	Start Card Number: Approx. Construction Date:	WATER RESOURCES DEPT. SALEM, OREGON
	Well Constructor:	
	Name of Owner at Time of Construction: John WEbbe	R.
	Well Depth (in feet): Static Water Level (in feet):	
	Diameter of Exposed Well Casing (in inches):	
N	Does this well have a formal water right associated with it? Yes: $X$ No: If $F_i \models \# Q-5478$ Application #: Permit #: $Q-5383$ Certificate #:	`yes:
X W	Please Return Completed Form to: Salem, OR 97310	/
XT	This should be associated with with with with 2825 as we will be adding the our water right.	Here a