WATER WELL REPORT STATE OF OREGON

CLAC 008968

RECEIVED

State Permit No.

JAN4 1983

WATER RESOURCES DEPT. SALEM, OREGON

State Well No.	35/	<u> </u>	baa
----------------	-----	----------	-----

(1) OWNER:	(10) LOCATION OF WELL:		
Name Jerry Philipp	County Clackamas Driller's well number 5682		
Address 24275 S.W. Nodaway LN.	NE 4 NE 4 Section 6 T. 3 S R. 1 E W.M.		
City Wilsonville State Oregon	Tax Lot # Lot Blk Subdivision		
(2) TYPE OF WORK (check):	Address at well location: 24275 S.W. Nodaway Ln., Wilsonville, OR.		
New Well □ Deepening □ Reconditioning □ Abandon □			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found N/Att. Static level 370 ft. below land surface Date		
Rotary Mud Dug D Irrigation Test Well Charge	Static level 370 ft. below land surface. Date Artesian pressure lbs. per square inch. Date		
Rotary Mud Dug Irrigation Test Well Other Bored Thermal: Withdrawal Reinjection	103. per square inch. Date		
(5) CASING INSTALLED.	Depth drilled Diameter of well below casing		
NONE Threaded Welded	Formation: Describe color, texture, grain size and structure of meta-inland 1		
ft. toft. Gauge	thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level		
"Diam from	and indicate principal water-bearing strata.		
LINER INSTALLED:	MATERIAL From To SWL		
	This well was originally		
(6) PERFORATIONS: Perforated? ☐ Yes ☐ No	540' deep. The pump was		
Type of perforator used	dropped in the well and		
Size of perforations in. by in.	the pump & pipe broke up		
perforations from ft. to ft.	in the bottom. We attempted		
perforations from ft. to ft.	to drill it out and got down to 435' at which point		
perforations from	the well was producing		
(7) SCREENS: Well screen installed? ☐ Yes X No	enough water that the owner		
Manufacturer's Name	requested that we stop		
Type	drilling.		
Diam. Slot Size Set from ft. to ft. Diam. Slot Size Set from ft. to ft.			
D 1			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? ☐ Yes 🏖 No If yes, by whom?			
d: gal./min. with ft. drawdown after hrs.			
// // // // // // // // // // // // //			
Air test 10 gal/min, with drill stem at 430 ft. 1 hrs. Bailer test gal/min, with ft drouglous after.			
Bailer test gal/min. with ft. drawdown after hrs. Artesian flow g.p.m.			
perature of water Depth artesian flow encountered ft.			
(A) CONTOURNE CONTOUR	Work started 12-719 82 Completed 12-13 12-1982		
(9) CONSTRUCTION: Special standards: Yes No K Well seal—Material used Seal was not changed	Date well drilling machine moved off of well 12-14 1982		
Well sealed from land surface toft.	Drilling Machine Operator's Certification:		
Diameter of well bore to bottom of sealin.	This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.		
Diameter of well bore below seal in.	[Signed] Date /2. 15, 1982		
Number of sacks of cement used in well seal sacks	Orilling Machine Operator's License No. 224		
How was cement grout placed?			
***************************************	Water Well Contractor's Certification:		
Was pump installed? Yes Type Sub _{HP} 2 Depth 430 ft.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? ☐ Yes ☐ Yeo Plugs Size: location ft.	Name SKYLES DRILLING . TNC		
Did any strata contain unusable water?			
Type of Water? depth of strata	A THE STATE OF THE		
Method of sealing strata off	[Signed] (Water Well Contractor)		
Was well gravel packed? ☐ Yes X No Size of gravel:	Contractor's License No553 Date		
Gravel placed from ft. to ft.			