

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED APR 15 1971 WATER WELL REPORT STATE OF OREGON (Please type or print) (Do not write above this line) 66909

State Well No. 311-16 db State Permit No. 009324

(1) OWNER:

Name Bill KAISER Address RT 1 Box 567-I WEST LINN, OREGON

(2) TYPE OF WORK (check):

New Well [ ] Deepening [x] Reconditioning [ ] Abandon [ ] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Cable [x] Dug [ ] Driven [ ] Jetted [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [x] Test Well [ ] Other [ ]

CASING INSTALLED: NO CASING INSTALLED Threaded [ ] Welded [ ] Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? [ ] Yes [x] No

Type of perforator used Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [ ] Yes [x] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [x] Yes [ ] No If yes, by whom? KEUER Yield: 475 gal./min. with 367 ft. drawdown after 6 hrs. Bailer test 44 gal./min. with 7 1/2 ft. drawdown after 1 hrs.

(9) CONSTRUCTION:

Well seal—Material used Well sealed from land surface to ft. Diameter of well bore to bottom of seal in. Diameter of well bore below seal in. Number of sacks of cement used in well seal sacks Number of sacks of bentonite used in well seal sacks Brand name of bentonite Number of pounds of bentonite per 100 gallons of water lbs./100 gals. Was a drive shoe used? [ ] Yes [ ] No Plugs Size: location ft. Did any strata contain unusable water? [ ] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [ ] Yes [x] No Size of gravel: ft. Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County CLACKAMAS Driller's well number 108 SE 1/4 NW 1/4 Section 16 T. 35 R. 1E W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 725 ft. Static level 62 ft. below land surface. Date 4/9/71 Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 10"-8"-6"

Depth drilled 1005 ft. Depth of completed well 1005 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include: DECOMPOSED BASALT (725-726, 55), HARD BLACK BASALT (726-756, 55), DECOMPOSED BASALT (756-766, 55), HARD BLACK BASALT (766-844, 55), DECOMPOSED BASALT (844-851, 55), HARD BLACK BASALT (851-974, 55), SOFT BLACK BASALT (974-987, 55), HARD BLACK BASALT (987-1005, 55)

Work started 2-17 19 71 Completed 4/9 19 71 Date well drilling machine moved off of well 4/9 19 71

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Ol Keller Date 4/20, 19 71 (Drilling Machine Operator) Drilling Machine Operator's License No. 329

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name KEUER Well Drilling Co. (Person, firm or corporation) (Type or print) Address 5365 S.E. Hillwood MILWAUKIE [Signed] Ol Keller (Water Well Contractor) Contractor's License No. 462 Date 4/20, 19 71