RECEIVED WATER WELL REPORT

STATE OF OREGON

JUN 2 4 1981

0097 WATER RESOURCES DEPT

=	11.1	
State Well No.	15/48-29	•

State Permit No.	
State Permit No.	*******************************

(1) OWNER:	(10) LOCATION OF WELL:		
Name JIM BUSHUE	County CACA, Driller's well number		
Address 9880 SEI REVENDE RD.	14 14 Section 29 T/ R. 4-E W.M.		
City FORING State OFE	Tax Lot # 6/00 O Lot Blk Subdivision		
(2) TYPE OF WORK (check):	Address at well location: 9880 SE: REVENUE BD		
New Well Deepening □ Reconditioning □ Abandon □	FOYING, OVE,		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 185 ft.		
Rotary Air Driven Domestic Industrial Municipal	Static level ft. below land surface. Date 5/27/3		
Rotary Mud Dug	Artesian pressure lbs. per square inch. Date		
The injection is	(12) WELL LOG: Diameter of well below casing		
CASING INSTALLED: Steel Plastic	Depth drilled / 95 ft. Depth of completed well / 95 ft.		
Threaded Welded Welded Work of to 25 ft. Gauge 1250	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry		
"Diam from	for each change of formation. Report each change in position of Static Water I and		
	and indicate principal water-bearing strata.		
	MATERIAL From To SWL		
O." Diam. from O ft. to 1.95 ft. Gauge 160	CLAY MED 0 30 0		
(6) PERFORATIONS: Perforated? Let Ves D No	COBSIES + C)AY BED 30 149 0		
Type of perforator used SAW	BOCK HAYD BYACK 149 185 0		
Size of perforations in. by in.	190CH B)4CH WB1 185 195 21		
perforations from 40 ft to 194 ft.			
perforations fromft. to			
perforations from ft. to ft.			
2 100 3,110			
Manufacturer's Name			
Type			
Diam. Slot Size Set from ft. to ft.			
Providence in the second secon			
below static level			
Was a pump test made? Yes \(\subseteq No \) If yes, by whom? Arth \(\subseteq \subse			
gal/min, with 95 ft. drawdown after b hrs.	777		
Air test gal./min. with drill stem at ft. hrs.			
Bailer test 20 gal/min. with drill stem at ft. hrs. Bailer test 20 gal/min. with \(D \) ft, drawdown after \(/ \) hrs.			
Artesian flow g.p.m.			
erature of water 52 Depth artesian flow encountered ft.			
	Work started 3/4/ 19 8/ Completed 5/26 19 8/		
(9) CONSTRUCTION: Special standards: Yes No the	Date well drilling machine moved off of well 5/28/ 19 6/		
Well seal—Material used SMENT GYOUTE	Drilling Machine Operator's Certification:		
Well sealed from land surface toft. Diameter of well bore to bottom of sealin.	This well was constructed under my direct supervision. Materials used		
Diameter of well bore to bottom of seal	and information reported above are true to my best knowledge and belief.		
Number of a day of any of the state of the s	[Signed] Taura W. Mont Date 6/., 19. 8.		
How was cement grout placed? ————————————————————————————————————	Drilling Machine Operator's License No 946		
IX & M.M.Y. PIGE	Water Well Contractor's Certification:		
The state of the s	This well was drilled under my jurisdiction and this report is true to		
Was pump installed?	the best of my knowledge and belief.		
Was a drive shoe used? I Yes INO Plugs Size: location ft.	Name BRANT WELL DRILLING		
Did any strata contain unusable water? Yes I No	Address 13345 School Ave Bound Dee.		
Type of Water? depth of strata			
Method of sealing strata off	[Signed] Draw Wall Company		
Was well gravel packed? Yes No Size of gravel:	Contractor's License No. 755 Date 6112		
Gravel placed fromft. toft.	, 19.1, 19.1		
3 V A III			