

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED JUL 31 1969

WATER WELL REPORT

CLATSOP 101

STATE OF OREGON

STATE ENGINEER, SALEM, OREGON (Please type or print) within 30 days from the date of well completion. (Do not write above this line)

State Well No. 4N/7W-6 State Permit No.

(1) OWNER:

Name Patrick Mowick Address Elsie Route Seaside, Oregon

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [X] Cable [] Dug [] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [X] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

CASING INSTALLED:

8" Diam. from 0 ft. to 20 ft. Gage 1 wall 5-9/16" Diam. from 0 ft. to 300 ft. Gage 10 gage

PERFORATIONS:

Perforated? [X] Yes [] No. Type of perforator used Torch Size of perforations 1/8 in. by 6 in. 150 perforations from 20 ft. to 300 ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 4 ft. below land surface Date 7-2-69 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [X] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Bailer test 20 gal./min. with 260 ft. drawdown after 1 hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [] Yes [X] No

(10) CONSTRUCTION:

Well seal—Material used Bentonite Depth of seal 20 feet Diameter of well bore to bottom of seal 12 in. Were any loose strata cemented off? [] Yes [X] No Depth Was a drive shoe used? [] Yes [X] No Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [X] Yes [] No Size of gravel: 3/8 minus Gravel placed from 10 ft. to 300 ft.

(11) LOCATION OF WELL:

County Clatsop Driller's well number 1/4 1/4 Section 6 T. 4-N R. 7-W W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 8 inch Depth drilled 300 ft. Depth of completed well 300 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Top Soil, Yellow clay, Brown shale, White shale shale, Brown shale.

Work started 6-28-69 19 Completed 7-2-69 19 Date well drilling machine moved off of well 7-2-69 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Ralph Turner Date 7-1 1969 (Drilling Machine Operator)

Drilling Machine Operator's License No. 254

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Ralph Turner Drilling Co. (Person, firm or corporation) (Type or print)

Address Rte 1 Box 141 Hillsboro, Oregon

[Signed] Ralph Turner (Water Well Contractor)

Contractor's License No. 247 Date 7-1 1969