NOTICE TO WATER WELL CONTRACTOR. The original and first copy of this report are to be 1 MAY 25 1966WATER WELL REPORT STATE ENGINEER, SALEM, OREGON 97310 ENGINEE TRease type or print) of well completion. State Permit No. (1) OWNER: (11) WELL TESTS: Drawdown is amount water level is lowered below static level Name CHUCK BOND Was a pump test made? Yes No If yes, by whom? Address 601 ROSEWOOD KELSO WASH. gal./min. with _ft. drawdown after (2) LOCATION OF WELL: 50 gal./min. with 25ft. drawdown after County CLATSOP Driller's well number Artesian flow g.p.m. Date SW 14 NW 14 Section T. 78 R. CW W.M. Temperature of water Was a chemical analysis made? 🗌 Yes 📈 No Bearing and distance from section or subdivision corner 1447.67 'SOUTH AND 1021.8 (12) WELL LOG: Diameter of well below casing 6 ROM THE NE CORNER OF GOVERMENT Depth drilled 19.5 ft. Depth of completed well T4 SECTION 1 Formation: Describe by color, character, size of material and structure, and show thickness of aquifiers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. MATERIAL (3) TYPE OF WORK (check): FROM HARD YELLOW SLAY 0 w Well N Deepening | Reconditioning | Abandon [CRUM DI YWADARK andonment, describe material and procedure in Item 12. 130 SAND STONE DIVE WATER (4) PROPOSED USE (check): (5) TYPE OF WELL: Rotary | Domestic | Industrial | Municipal | Driven [Jetted [Irrigation ☐ Test Well ☐ Other Dug Bored [(6) CASING INSTALLED: Threaded | Welded | " Diam. from Q ft. to 140 ft. Gage 250 5 "Diam. from 135 ft. to 195 ft. Gage 250 " Diam. from _____ft. Gage ___ (7) PERFORATIONS: Perforated? ₹ Yes □ No Type of perforator used TORCH CUT Size of perforations 1/4 in. by perforations from / 42 perforations from ft. to perforations from _____ ft. to perforations from ft. to (8) SCREENS: Well screen installed? ☐ Yes ☑ No Manufacturer's Name .. ı. Slot size Work started APRIL 6 Slot size Set from 1966 Date well drilling machine moved off of well APAIL (9) CONSTRUCTION: (13) PUMP: Well seal-Material used in seal SEMENT CROUT Manufacturer's Name TACUZZI Depth of seal 20 ft. Was a packer used? No Type: SUB. Diameter of well bore to bottom of seal ________in____in___ Were any loose strata cemented off? 🗌 Yes 🔣 No Water Well Contractor's Certification: Was a drive shoe used? 🗷 Yes 🔲 No This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was well gravel packed?
Yes Mo Size of gravel: Gravel placed from _____ ft. to _____ ft. NAME Dale Mc Chee WFI BRILLING
(Person, firm of corporation) (Type or print) Did any strata contain unusuable water? N Yes No Type of water? ColoRD depth of strate //o Address JO JZ ALLEN ST KELSO WASH Method of sealing strata off SEATING BRIVE SHOE IN SANDST Drilling Machine Operator's License No. 424 (10) WATER LEVELS: Dale me Dhe ft, below land surface Date APAI Artesian pressure lbs. per square inch Date Contractor's License No. 424 Date ABBIL 10, 1966 (USE ADDITIONAL SHEETS IF NECESSARY)