## WATER WELL REPORT

STATE OF OREGON

## RECEIVED CAY DEC 61985 1446

State Well No.	5m	/3W-c	23/c
State Permit No			

WATER RESOURCES DEPT				
(1) OWNER: SALEM, OREGON	(10) LOCATION OF WELL:		-	
Name Rudolph Bauder	county Columbia Driller's well	number		
Address 26497 Fittsburg Rd.	NW 4 SE 4 Section 13 T. 5 H	R. 3 (4)	W.M.	
City St. Helens StateOregon	Tax Lot # Lot Blk	Subdivision		
	Address at well location: Same			
(2) TYPE OF WORK (check):				
New Well ☑ Deepening □ Reconditioning □ Abandon □	(11) WATER LEVEL: Completed w	oll		
If abandonment, describe material and procedure in Item 12.		180		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found Static level 105 ft. below le	and surface. Date 11	71778	
Rotary Air		er square inch. Date	<u>/ 11/</u> C	
Rotory Mud 🔲 Dug 🔲 Irrigation 🗆 Test Well 🗆 Other 🔣				
Bored   Thermal: Withdrawal   Reinjection	(12) WELL LOG: Diameter of well below the Depth drilled 187 ft. Depth of the Depth			
(5) CASING INSTALLED: Steel 🔀 Plastic 🗆	Depth drilled 187 ft. Depth of completed well 187 ft.  Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry			
Threaded □ Welded 🗵				
	for each change of formation. Report each change in pand indicate principal water-bearing strata.	osition of Static Wa	ter Level	
"Diam. from				
INER INSTALLED:	MATERIAL	From To	SWL	
	clay red	0 60		
(6) PERFORATIONS: Perforated? □ Yes ☑ No	clay blue	60 65	~	
Type of perforator used	sandstone blue	65 187 1	05	
Size of perforations in. by in.				
perforations from ft. to ft.				
perforations from ft. to ft.			=	
perforations from				
(7) SCREENS: Well screen installed? ☐ Yes ☒ No				
Manufacturer's Name			<del></del>	
Type Model No.		-		
Diam. Slot Size Set from ft. to ft.				
Diam. Slot Size Set from ft. to ft.				
(8) WELL TESTS: Drawdown is amount water level is lowered below static level				
pump test made? ☐ Yes 💢 No If yes, by whom?				
gal/min. with ft. drawdown after hrs.				
" " " " " " " " " " " " " " " " " " " "				
Air test gal./min. with drill stem at ft. hrs.				
Bailer test 8 gal./min. with 75 ft. drawdown after 1 hrs.				
vian flow g.p.m.				
New perature of water 50 Depth artesian flow encountered ft.	Work started 11/11 1985 Complete	a 11/17	1985	
(9) CONSTRUCTION: Special standards: Yes □ No 🛚	Date well drilling machine moved off of well	1/17	1985	
Well seal—Material used <u>Cement</u>	Drilling Machine Operator's Certification:			
Well sealed from land surface to $20$ ft.	This well was constructed under my direct su	upervision. Materi	als used	
Diameter of well bore to bottom of sealin.	and information reported above are trugto my be	st knowledge and	belief	
Diameter of well bore below seal	Drilling Machine Operator	Date 1.1/.1.7,	1985	
Number of sacks of cement used in well seal 8 sacks	Drilling Machine Operator's License No	554		
How was cement grout placed?pump_grouted				
	Water Well Contractor's Certification:			
	This well was drilled under my jurisdiction the best of my knowledge and belief.	and this report is	true to	
Was pump installed?	Name Luttrell Well Drillin	ı g		
Was a drive shoe used?  Yes No Plugs Size: location ft.	(Person, firm or corporation)	. (Type or pr	int)	
Did any strata contain unusable water? ☐ Yes ☒ No  Type of Water? depth of strata	Address 33111 PICUS DUTE Rd.	St. Helen	יוט, מ.	
Type of Water? depth of strata  Method of sealing strata off	[Signed Layant C. Kuttre	://		
Was well gravel packed? ☐ Yes XNo Size of gravel:	(Water Well Contractor		~ -	
	Contractor's License No.1.3.5.4Date1.1./	.1.7	, 198.5	
Gravel placed from ft. to ft.				